

A. *Magnetic property on alloys and compounds* (1)

1. T. Kamimori, **K. Koyama** and M. Goto, "*Magnetocrystalline anisotropy of  $Y_2Fe_{17}$  with silicon and carbon*", Nuclear Instruments and Methods in Physics Research **B76** (1993) 57-58.
2. **K. Koyama**, Y. Mori, M. Asano, T. Kamimori, H. Tange and M. Goto, "*Effect of nitrogenation on magnetism for  $Y_2Fe_{17-x}(Si,Al)_x$* ", J. Magn. Magn. Mater. **140-144** (1995) 969-970.
3. T. Kamimori, **K. Koyama**, Y. Mori, M. Asano, K. Kinoshita, J. Mochimaru, K. Konishi and H. Tange, "*Preferential site occupation of N atoms and the Curie temperature in  $Y_2Fe_{17-x}M_x$  ( $M=Al, Si, Ga$ )*", J. Magn. Magn. Mater. **177-181** (1998) 1119-1120.
4. N. Suzuki, T. Kanomata, R. Konno, T. Kaneko, H. Yamauchi, **K. Koyama**, H. Nojiri, Y. Yamaguchi and M. Motokawa, "*Magnetic Phase diagram of  $CrTe_{1-x}Sb_x$  ( $0.0 \leq x \leq 1.0$ )*", J. Alloys and Compounds **290** (1999) 25-29.
5. **K. Koyama**, T. Goto, T. Kanomata, R. Note and Y. Takahashi, "*Nonlinear magnetization process of single-crystalline  $FeSi$* ", J. Phys. Soc. Jpn. **69** (2000) 219-224.
6. T. Kanomata, T. Sasaki, T. Hoshi, T. Narita, T. Harada, H. Nishihara, T. Yoshida, R. Note, **K. Koyama**, H. Nojiri, T. Kaneko and M. Motokawa, "*Magnetic and electrical properties of  $Fe_{2+x}V_{1-x}Al$* ", J. Alloys and Compounds **317-318** (2001) 390-394.
7. T. Mashimo, X. Huang, X. Fan, **K. Koyama** and M. Motokawa, "*Slater-Pauling curve of Fe-Cu solid solution alloys*", Phys. Rev. **B66**, (2002) 132407(1)-(4).
8. Kanomata, T. Narita, N. Suzuki, K. Sato, T. Harada, N. Oogawara, **K. Koyama** and M. Motokawa, "*Electrical properties of the transition metal compound  $MnRhP$* ", J. Alloys and Compounds **334** (2002) 68-71.
9. T. Fujiwara, H. Fujii, **K. Koyama** and M. Motokawa, "*Novel magnetism on single crystalline  $YbMn_2Ge_2$* ", Physica B **312-313** (2002) 864-866.
10. **K. Koyama**, H. Sasaki, T. Kanomata, K. Watanabe and M. Motokawa, "*Magnetization measurements of weak itinerant ferromagnet Ni-Pt alloy*", J. Phys. Soc. Jpn. **72** (2003) 767-768.
11. T. Fujiwara, H. Fujii, Y. Uwatoko, **K. Koyama**, M. Motokawa and T. Shigeoka, "*Dramatic change of the magnetic characteristics in  $YbMn_2Ge_2$  under high pressures*", Acta Phys. Pol. **B34** Sp. Iss. (2003) 1541-1544.
12. Y. Makihara, H. Fujii, T. Fujiwara, K. Watanabe, K. Takahashi, **K. Koyama** and M. Motokawa, "*Magneto-volume effect in the ground and field induced states of  $Ce_2Fe_{17}$* ", Physica B **329-333**,

- (2003) 663-664.
13. **K. Koyama**, H. Sasaki, T. Kanomata, K. Watanabe and M. Motokawa, "*Magnetic properties of weak itinerant ferromagnet Ni-Pt alloy*", Physica B **329-333**, (2003) 1121-1122.
  14. H. Wada, H. Yoshida, T. Goto, **K. Koyama** and K. Watanabe, "*Novel field-induced magnetic transitions of GdMn<sub>2</sub>Ge<sub>2</sub>*", J. Phys. Soc. Jpn **72**, (2003) 3197-3203.
  15. X. Fan, T. Mashimo, X. Huang, T. Kagayama, A. Chiba, **K. Koyama** and M. Motokawa, "*Magnetic properties of Co-Cu metastable solid solution alloys*", Phys. Rev. **B69**, (2004) 094432(1)-(6).
  16. H. Wada, H. Yoshida, T. Goto and **K. Koyama**, "*Field-induced magnetic transitions of exchange competing system GdMn<sub>2</sub>Ge<sub>2</sub>*", J. Magn. Magn. Matter. **272-276** (2004) 591-592.
  17. T. Fujiwara, Y. Uwatoko, H. Fujii, **K. Koyama**, M. Motokawa, and T. Shigeoka, "*The correlation between the phase transition and valence change of the Yb ionic state induced upon pressurization in YbMn<sub>2</sub>Ge<sub>2</sub>*", J. Magn. Magn. Matter. **272-276** (2004) 599-600.
  18. **K. Koyama**, T. Kanomata, T. Watanabe, T. Suzuki, H. Nishihara, and K. Watanabe, "*Magnetic transitions in Mn<sub>3</sub>Ga<sub>1-x</sub>Al<sub>x</sub>C (0<x<0.1)*", J. Magn. Magn. Matter. **272-276** (2004) e615-e617.
  19. O. Nashima, T. Kanomata, Y. Yamaguchi, S. Abe, T. Harada, T. Suzuki, H. Nishihara, **K. Koyama**, T. Shishido, K. Watanabe and T. Kaneko, "*Magnetic and electrical properties of Fe<sub>3-x</sub>V<sub>x</sub>Si*", J. Alloys and Compounds. **383** (2004) 298-301.
  20. T. Tsutaoka, Y. Nakamori, **K. Koyama** and T. Tokunaga, "*Magnetic and electrical properties of Gd<sub>7</sub>Rh<sub>3</sub> single crystal*", J. Magn. Magn. Mater. **293** (2005) 768-773.
  21. **K. Koyama**, S. Miura, H. Okada, T. Shigeoka, S. Fujieda, A. Fujita, K. Fukamichi and K. Watanabe, "*Magnetocaloric and structural properties of SmMn<sub>2</sub>Ge<sub>2</sub>*" J. Alloys. Comp. **408-412** (2006) 118-121.
  22. D.X. Li, S. Nimori, Y.X. Li, **K. Koyama** and Y. Shiokawa, "*Magnetic ordering in ternary germanide Nd<sub>2</sub>CuGe<sub>6</sub>*", J. Alloys. Comp. **408-412** (2006) 122-126.
  23. J. Prchal, H. Kitazawa, T. Furubayashi, P. Javorský and **K. Koyama**, "*Low-temperature structural study of the TbPd<sub>1-x</sub>Ni<sub>x</sub> series*", Physica B **378-380** (2006) 1102-1104.
  24. T. Kanomata, T. Igarashi, H. Nishihara, **K. Koyama**, K. Watanabe, K.U. Neumann, K.R.Z. Ziebeck, "*Magnetic properties of weak itinerant electron ferromagnet CoVSb*", Mater. Trans. **47** (2006) 496-500.
  25. D.X. Li, T. Yamamura, S. Nimori, **K. Koyama** and Y. Shiokawa, "*Magnetic properties of rare-earth compounds GdPdIn and TmPdIn*", J. Alloys. Comp. **418** (2006) 151-154.
  26. H. Nishihara, T. Kanomata, Y. Furutani, T. Igarashi, **K. Koyama** and T. Goto, "*NMR properties of half-Heusler CoVSb*", Phys. Stat. Sol. (c)**3**, (2006) 2779-2782.
  27. T. Hori, H. Shiraishi, K. Ohoyama, M. Nishi, **K. Koyama** and K. Watanabe, "*Magnetic structure*

- of  $Y_{1-x}Nd_xMn_6Sn_6$  alloys”, *Physica B* **385-386** (2006) 320-322.
28. T. Hori, **K. Koyama**, H. Shiraishi and K. Watanabe, “*Magnetic properties of  $Nd_xEr_{1-x}Mn_6Sn_6$  alloys*” *J. Phys.: Conf. Ser.* **51** (2006) 47-50.
  29. Y. Adachi, K. Izaki, T. Kitai, H. Yoshida, **K. Koyama**, H. Morita, H. Onodera, T. Kawae and T. Kaneko, “*Field-induced transitions in single crystals of  $TbCu_4Ag$  and  $GdCu_4Ag$* ”, *J. Phys.: Conf. Ser.* **51** (2006) 55-58.
  30. A. Himori, S. Ohishi, **K. Koyama**, K. Watanabe, and T. Shigeoka, “*Multistep metamagnetism of  $NdRh_2Ge_2$  single crystal*”, *J. Phys.: Conf. Ser.* **51** (2006) 63-66.
  31. T. Shigeoka, N. Kimura, **K. Koyama** and K. Watanabe, “*High field magnetization of  $TbCu_2Si_2$  single crystal compound*”, *J. Phys.: Conf. Ser.* **51** (2006) 83-86.
  32. T. Sakon, S. Saito, **K. Koyama**, S. Awaji, I. Sato, T. Nojima, K. Watanabe, M. Motokawa, N.K. Sato, “*Magnetic anisotropy study of  $UGe_2$  in a static high magnetic field*”, *J. Phys.: Conf. Ser.* **51** (2006) 255-258.
  33. K. Hachitani, H. Amanuma, H. Fukazawa, Y. Kohori, **K. Koyama**, KI, Kumagai, C. Sekine, I. Shirotani, “*Appearance of successive phase transition in  $SmRu_4P_{12}$  under high magnetic fields probed by  $^{31}P$  nuclear magnetic resonance*”, *J. Phys. Soc. Jpn.* **75** (2006) 124712(1)-(6).
  34. M. Matsukawa, A. Tamura, S. Nimmori, R. Suryanarayanan, T. Kumagai, Y. Nakanishi, M. Apostu, A. Revcolevschi, **K. Koyama**, and N. Kobayashi, “*Anomalous pressure effect on the remanent lattice striction of a  $(La, Pr)_{1.2}Sr_{1.8}Mn_2O_7$  bilayered manganite single crystal*”, *Phys. Rev.* **B75** (2007) 014427(1)-(6).
  35. T. Sakon, S. Saito, **K. Koyama**, S. Awaji, I. Sato, T. Nojima, K. Watanabe and N.K. Sato, “*Experimental investigation of giant magnetocrystalline anisotropy of  $UGe_2$* ”, *Phys. Scr.* **75** (2007) 546-550.
  36. A. Himori, M. Tanaka, **K. Koyama**, K. Watanabe and T. Shigeoka, “*Magnetic behavior of  $TbRh_2Si_2$  single crystal*”, *J. Magn. Magn. Mater.* **310** (2007) 1770-1772.
  37. A.V. Andreev, E.A. Tereshina, E. Santava, **K. Koyama**, Y. Homma, I. Satoh, T. Yamamura, Y. Shiokawa, K. Watanabe, “*Crystal structure and magnetic properties of  $U_2Co_{17-x}Si_x$  single crystals*”, *J. Magn. Magn. Mater.* **310**, (2007) e598-e600.
  38. E.A. Tereshina, A.V. Andreev, **K. Koyama**, Y. Shiokawa, I. Satoh, and K. Watanabe, “*Magnetic anisotropy and spin reorientation  $U_2Co_{15}Si_2$* ”, *J. Magn. Magn. Mater.* **316** (2007) e515-e518.
  39. M. Matsukawa, Y. Yamato, T. Kumagai, A. Tamura, R. Suryanarayanan, S. Nimmori, M. Apostu, A. Reolevschi, **K. Koyama**, and N. Kobayashi, “*Steplike lattice deformation of single crystalline  $(La_{0.4}Pr_{0.6})_{1.2}Sr_{1.8}Mn_2O_7$  bilayered Manganite*”, *Phys. Rev. Lett.* **98** (2007) 267204(1)-(4).
  40. K. Hachitani, H. Amanuma, H. Fukazawa, Y. Kohori I. Watanabe, **K. Koyama**, K. Kumagai, C. Sekine and I. Shirotani, “*Sm-based filled Skutterudite phosphides  $SmT_4P_{12}$  ( $T=Fe, Ru, Os$ ) studied*

- by  $^{31}\text{P-NMR}$  and  $\mu\text{SR}$ ”, J. Phys. Chem. Solid **68** (2007) 2080-2083.
41. H. Okada, **K. Koyama**, K. Watanabe, Y. Kusakari, T. Kanomata, and H. Nishihara, “*Magnetic properties of Heusler compounds  $\text{Ru}_2\text{CrGe}$  and  $\text{Ru}_2\text{CrSn}$* ”, Appl. Phys. Lett. **92** (2008) 062502(1)-(3).
  42. A.V. Andreev, E.A. Tereshina, E. Santava, **K. Koyama**, Y. Homma, I. Satoh, T. Yamamura, Y. Shiokawa, K. Watanabe, “*Magnetic properties of  $\text{U}_2\text{Co}_{17-x}\text{Si}_x$  single crystals*”, J. Alloys Comp. **450**, (2008) 51-57.
  43. Y. Takahashi, T. Harada, T. Kanomata, **K. Koyama**, H. Yoshida, T. Kaneko, M. Kataoka, “*Magnetoresistance effect of pseudobinary compounds  $\text{Cr}_{1-x}\text{Ru}_x\text{Sb}_2$* ”, J. Alloys Comp. **459** (2008) 78-82.
  44. A.V. Andreev, E.A. Tereshina, E. Santava, I. Satoh, T. Yamamura, Y. Shiokawa, **K. Koyama**, K. Watanabe, “*Magnetic properties of  $\text{U}_2(\text{Fe}_{1-x}\text{Ni}_x)_{13.6}\text{Si}_{3.4}$  single crystals*”, J. Alloys Comp. **461** (2008) 6-8.
  45. E.G. Gerasimov, N.V. Nushnikov, **K. Koyama**, T. Kanomata, and K. Watanabe, “*Positive magnetoresistance and large magnetostriction at first-order antiferro-ferromagnetic phase transitions in  $\text{RMn}_2\text{Si}_2$  compounds*”, J. Phys.: Condens. Matter **20** (2008) 445219(1)-(6).
  46. H.C. Hsu, F.C. Chou, K. Koyama, K. Watanabe and H.L. Liu, “*Spin-phonon coupling in antiferromagnetic  $\text{Bi}_2\text{Sr}_2\text{CoO}_{6+\delta}$ : An infrared reflectance study*”, Phys. Rev. B **79** (2009) 155109(1)-(8).
  47. M. Hiroi M, T. Rokkaku, K. Matsuda, T. Hisamatsu, I. Shigeta, M. Ito, T. Sakon, **K. Koyama**, K. Watanabe, S. Nakamura, T. Nojima, T. Nakano, L. Chen, T. Fujiwara, Y. Uwatoko, H. Manaka, and N. Terada, “*Ferromagnetism and spin-glass transitions in the Heusler compounds  $\text{Ru}_{2-x}\text{Fe}_x\text{CrSi}$* ”, Phys. Rev. B **79** (2009) 224423.
  48. T Kawamata, N Sugawara, M Uesaka, N Kaneko, T Kajiwara, H Yamane, **K Koyama**, K Kudo, N Kobayashi, Y Koike, “*Single-Crystal Growth of  $\text{Pb}_2\text{V}_3\text{O}_9$  and the Bose-Einstein Condensed State of Triplons Studied by Thermal Conductivity, Specific Heat and Magnetization Measurements*”, J. Phys.: Conf. Ser. **150** (2009) 042087(4).
  49. Y. Furutani, H. Nishihara, T. Kanomata, K. Kobayashi, R. Kainuma, K. Ishida, **K. Koyama**, K. Watanabe, T. Goto, “*Field-induced-moment nuclear coupling for  $^{59}\text{Co}$  in a Heusler alloy  $\text{Co}_2\text{TiGa}$* ”, J. Phys.: Conf. Ser. **150** (2009) 042037(4)
  50. H Nishihara, Y Furutani, T Wada, T Kanomata, K Kobayashi, R Kainuma, K Ishida, **K Koyama**, K Watanabe, “*Hyperfine coupling constant for  $^{59}\text{Co}$  estimated from a high-field susceptibility and high-field NMR shift in ferromagnetic  $\text{Co}_2\text{TiGa}$  and  $\text{Co}_2\text{VGa}$* ”, J. Phys. Conf. Ser. **200** (2010) 032052(4).
  51. I. Shigeta, Y. Sakuraba, S. Kimura, K. Koyama, K. Watanabe, K. Takanashi, and M. Hiroi,

- “Transport and magnetic properties of fully-epitaxial superconducting NbN/half-metallic Heulser alloys  $\text{Co}_2\text{MnSi}$  bilayer films”, J. Magn. Soc. Jpn. **37** (2013) 222-226.
52. M. Hiroi, K. Uchida, I. Shigeta, M. Ito and **K. Koyama**, “Antiferromagnetic transition in  $\text{Ru}_2\text{CrSi}$  in magnetic fields”, J. Korean Phys. Soc. **62** (2013) 2068-2072.
53. Y. Adachi, T. Kitai, **K. Koyama**, H. Yoshika, and T. Kaneko, "Magnetization curves of  $\text{TbZn}_2$  in high magnetic fields", J. Korean Phys. Soc. **62** (2013) 2077-2079.
54. T. Shigeoka, T. Fujiwara, **K. Koyama**, S. Kimura and K. Watanabe, “Multi-step metamagnetic processes of  $\text{PrPd}_2\text{Si}_2$  single crystal”, J. Korean Phys. Soc. **63** (2013) 567-570.
55. D. Shimada, H. Orihashi, D. Mitsunaga, M. Ito, M. Hiroi and **K. Koyama**, “Magnetic properties of  $\text{Mn}_2\text{Sb}_{1-x}\text{Ge}_x$  ( $0.05 \leq x \leq 0.2$ ) in high magnetic fields”, J. Korean Phys. Soc. **63** (2013) 747-750.
56. A.V. Andreev, E.A. Tereshina, D.I. Gorbunov, E. Santava, J. Sebek, M. Zacek, Y. Homma, Y. Shiokawa, I. Satoh, t. Yamamura, T. Komatsubara, K. Watanabe and **K. Koyama**, “Magnetic anisotropy in intermetallic compounds containing both Uranium and 3d-metal”, Phys. Metals and Metallography **114** (2013) 727-733.
57. J. Goto, T. Kakimoto, S. Fujii and K. Koyama, “Electronic and magnetic structures of Cobalt substituted  $\text{Mn}_2\text{Sb}$ ”, J. Japan Inst. Met. Mater. **77** (2013) 461-465. (in Japanese)
58. J. Goto, T. Kakimoto, S. Fujii and K. Koyama, “Magnetic and electronic structures and Cobalt or Copper substituted  $\text{Mn}_2\text{Sb}$ ”, Mater. Trans. **54** (2013) 2309-2312.
59. Y. Matsumoto, H. Orihashi, K. Matsubayashi, Y. Uwatoko, M. Hiroi and **K. Koyama**, “Magnetic field effect on magnetic and electrical properties of  $\text{Mn}_{2-x}\text{Cu}_x\text{Sb}$ ”, IEEE Trans. Magn. **50** (2014) 1000704-(4).
60. Y. Yoshimine, D. Mitsunaga, H. Orihashi, D. Shimada, M. Hiroi, R. Onodera, S. Kimura, K. Takahashi and **K. Koyama**, “Magnetic and electrical properties of  $\text{Mn}_{2-x}\text{Ni}_{1+x}\text{Sb}$ ”, IEEE Trans. Magn. **50** (2014) 1001204-(4).
61. T. Tsutaoka, K. Obata, S. Cheyvuth and **K. Koyama**, "Magnetic phase transitions in  $\text{Er}_7\text{Rh}_3$  studied on single crystals", J. Alloy Comp. **606** (2014) 214-218.
62. T. Kakimoto, J. Goto, S. Fujii, **K. Koyama** and S. Ishida, “Electronic and magnetic properties of  $\text{Mn}_2\text{Sb}_{1-x}\text{As}_x$  ( $x = 0, 0.5, 1$ )”, Mater. Trans. **55** (2014) 1878-1884.
63. J. Goto, T. Kakimoto, S. Fujii, **K. Koyama**, “Site preference and stabilization of antiferromagnetism in M-substituted  $\text{Mn}_{2-x}\text{M}_x\text{Sb}$  ( $M = \text{Ti, Cr, Co, or Cu}$ )”, Mater. Trans **56** (2015) 415-423.
64. S. Yoshinaga, Y. Mitsui, R.Y. Umetsu, **K. Koyama**, “Magnetic properties of Cr-based ternary compound  $\text{CrAlGe}$ ”, Physics Procedia **75** (2015) 918-925.
65. K. Ozono, Y. Mitsui, R. Y. Umetsu, M. Hiroi, K. Takahashi, **K. Koyama**, “Magnetic and Structural Properties of  $\text{MnCo}_{1-x}\text{Fe}_x\text{Ge}$  ( $0 \leq x \leq 0.12$ )”, API Conf. Proc. **1763** (2016) 0020003-(7).

66. Y. Matsumoto, K. Matsubayashi, Y. Uwatoko, M. Hiroi, Y. Mitsui, **K. Koyama**, “*Magnetic Properties of  $Mn_{1.9}Cu_{0.1}Sb$  under High Pressure*”, AIP Conf. Proc. **1763** (2016) 0020005-(6).
67. M. Hiroi, H. Sano, T. Tazoko, I. Shigeta, M. Ito, K. Koyama, H. Manaka, N. Terada, M. Fujii, A. Kondo, K. Kindo, “*Magnetic and electrical properties of Heusler compounds  $Ru_2Cr_{1-x}X_xSi$  ( $X = V, Ti$ )*”, J. Alloys. Comp. 694 (2017) 1376-1382.
68. M. Hiroi, T. Tazoko, H. Sano, I. Shigeta, K. Koyama, A. Kondo, K. Kindo, H. Manaka, N. Terada, “*High-field magnetization of Heusler compound  $Fe_2Mn_{1-x}V_xSi$* ”, Phys. Rev. B **95** (2017) 014410-(5).
69. T. Wakamori, Y. Mitsui, K. Takahashi, R.Y. Umetsu, Y. Uwatoko, M. Hiroi, **K. Koyama**, “*Thermal Transformation Arrest Phenomena in  $Mn_2Sb_{0.9}Sn_{0.1}$* ”, IEEE Magn. Lett. 8 (2017) 1402404-(4).
70. S. Yoshinaga, Y. Mitsui, R.Y. Umetsu, Y. Uwatoko, **K. Koyama**, “*Magnetic properties of weak itinerant electron ferromagnet  $CrAlGe$* ”, J. Phys. Conf. Ser. 868 (2017) 012018-(7).
71. A.N. Nwodo, R. Kobayashi, T. Wakamori, Y. Matsumoto, Y. Mitsui, R.Y. Umetsu, M. Hiroi, K. Takahashi, Y. Uwatoko, **K. Koyama**, “*Magnetic Phase Transition of  $Mn_{1.9}Fe_{0.1}Sb_{0.9}Sn_{0.1}$* ”, IEEE Magn. Lett. **9** (2018) 1400204-(4).
72. A.N. Nwodo, R. Kobayashi, T. Wakamori, Y. Matsumoto, Y. Mitsui, M. Hiroi, K. Takahashi, R.Y. Umetsu, Y. Uwatoko, **K. Koyama**, “*Quasi-First Order Magnetic Transition in  $Mn_{1.9}Fe_{0.1}Sb_{0.9}Sn_{0.1}$* ”, Mater. Trans. 59 (2018) 348-352.
73. H. Masumitsu, S. Yoshinaga, Y. Mitsui, R.Y. Umetsu, M. Hiroi, Y. Uwatoko, K. Koyama, “*Magnetic and structural properties of  $Mn_{1-x}Cr_xAlGe$  ( $0 \leq x \leq 1.0$ )*”, J. Magn. Mater. 456 (2018) 104-107.
74. M. Hiroi, S. Ishikuma, I. Shigeta, K. Koyama, A. Kondo, K. K., H. Manaka, N. Terada, “*Magnetization and magnetic phase diagram of Heusler compounds  $Fe_{3-y}(Mn_{1-x}V_x)_ySi$  ( $y= 1$  and  $1.5$ )*”, J. Phys.: Conf. Ser. 969 (2018) 012099 (4).
75. M. Onoue, R. Kobayashi, Y. Mitsui, M. Hiroi, K. Takahashi, A. Kondo, K. Kindo, Y. Uwatoko, **K. Koyama**, “*Magnetic and Structural Properties of  $MnCoGe$  with Minimal Fe and Sn Substitution*”, Mater. Trans. 59 (2018) 1645-1650.
76. Y. Okubo, S. Eto, Y. Mitsui, K. Koyama, S. Fujii, “*Ab initio investigation of Fe substitution effect on magnetostructural transition of  $CoMnGe$* ”, AIP Advances 8, (2018) 101432.
77. K. Noguchi, H. Masumitsu, Y. Mitsui, R.Y. Umetsu, M. Hiroi, Y. Uwatoko, K. Koyama, “*Magnetic properties of  $Mn_{1-x}TM_xAlGe$  ( $TM = V, Fe, Cu$ ) with  $Cu_2Sb$ -type structure*”, AIP Advances 8, (2018) 101433.
78. H. Masumitsu, S. Yoshinaga, Y. Mitsui, R.Y. Umetsu, M. Hiroi, Y. Uwatoko, K. Koyama, “*Cu-substitution effects on the magnetic properties of weak itinerant electron ferromagnet  $CrAlGe$* ”, AIP Advances 8, (2018) 101426.

79. S. Eto, Y. Fukuda, Y. Mitsui, M. Ito, K. Koyama and S. Fujii, “*Stable Structure, Magnetic and Electronic Properties of (Mn,Cr)AlGe*”, J. Phys. Soc. Jpn. 88, (2019) 064709.
80. H. Masumitsu, S. Yoshinaga, Y. Mitsui, R.Y. Umetsu, M. Hiroi, Y. Uwatoko, K. Koyama, “*Weak itinerant-electron ferromagnetism of CrAlGe modified by 3d transition metal*”, J. Magn. Magn. Mater. 492 (2019) 165677.
81. K. Noguchi, R. Kobayashi, Y. Mitsui, R.Y. Umetsu, J. Gouchi, Y. Uwatoko, K. Koyama, “*Heat Treatment Effect on the Magnetic Properties and Martensitic Transformation*”, J. Magn. Magn. Mater. 499 (2020) 166199.

## **B. Permanent magnet and nitrides (2)**

1. **K. Koyama**, H. Fujii and S. Suzuki, "Magnetic properties of interstitially modified compounds  $Sm_3(Fe,M)_{29}Z_x$  ( $M=Ti, V, Cr$  and  $Z=H$  or  $N$ )", J. Magn. Magn. Mater. **161** (1996) 118-126.
2. **K. Koyama**, H. Fujii and P.C. Canfield, "Magnetocrystalline anisotropy of  $Nd_2Fe_{17}$  single crystal", Physica B **226** (1996) 363-369.
3. H. Fujii, K. Tatami and **K. Koyama**, "Nitrogenation process in  $Sm_2Fe_{17}$  under various pressures up to 6 MPa", J. Alloys and Comp. **236** (1996) 156-164.
4. **K. Koyama**, T. Kajitani, Y. Morii, H. Fujii and M. Akayama, "Neutron powder diffraction of rhombohedral  $Y_2Fe_{17}$  and  $Y_2Fe_{17}N_{3.1}$ ", Phys. Rev. **B55** (1997) 11414-11421.
5. H. Fujii, **K. Koyama**, K. Tatami, S. Mitsudo, M. Motokawa, T. Kajitani, Y. Morii and P.C. Canfield, "Recent development of basic magnetism in interstitially-modified rare earth iron nitrides  $R_2Fe_{17}N_3$ ", Physica B **237-238** (1997) 534-540.
6. **K. Koyama**, H. Fujii, S. Mitsudo, M. Motokawa, J. Koujima, Y. Andoh and P.C. Canfield, "High-field magnetization on interstitially modified single crystals  $Nd_2Fe_{17}Z_3$  ( $Z=H$  and  $N$ )", Physica B **237-238** (1997) 548-550.
7. **K. Koyama**, H. Fujii, S. Mitsudo, M. Motokawa, J. Koujima, Y. Andoh and P.C. Canfield, "Magnetic anisotropy in single crystals of an interstitially modified nitrogen compound  $Nd_2Fe_{17}N_3$ ", J. Magn. Soc. Jpn **22** (1998) 345-348 (in Japanese).
8. **K. Koyama**, H. Fujii, Y. Makihara, T. Kajitani and Morii, "Thermal expansion measurements on rhombohedral  $Y_2Fe_{17}$  and  $Y_2Fe_{17}N_{3.1}$ ", J. Magn. Soc. Jpn. **23** (1999) 468-470.
9. H. Fujii, **K. Koyama**, I. Sasaki, S. Mitsudo and M. Motokawa, "Giant magnetic anisotropy in  $Sm_2Fe_{17}$  induced by nitrogenation", J. Magn. Soc. Jpn. **23** (1999) 465-467.
10. **K. Koyama** and H. Fujii, "Nitrogen gas-solid process and basic magnetism of the interstitially modified rare-earth 3d transition-metal nitrides  $R_2Fe_{17}N_3$  ( $R=Y, Ce, Nd, Sm$ ) and  $Y_2Co_{17}N_3$ ", Phys. Rev. B. **61** (2000) 9475-9493.

11. H. Fujii, I. Sasaki and **K. Koyama**, “*Interstitial alloy as hard magnetic materials*”, J. Magn. Magn. Mater. **242-245** (2002) 59-65.
12. H. Kato, T. Miyazaki, M. Sagawa and **K. Koyama**, “*Coercivity enhancements by high-magnetic-field annealing in sintered Nd-Fe-B magnets*”, Appl. Phys. Lett. **84**, (2004) 4230-4232.
13. H. Kato, M. Ishizone, **K. Koyama** and T. Miyazaki, “*Realization of anisotropic nanocomposite magnet in Nd<sub>2</sub>Fe<sub>14</sub>B/a-Fe thin films*”, J. Magn. Magn. Mater. **290-291** (2005) 1221-1225.
14. H. Kato, H. Kubota, **K. Koyama** and T. Miyazaki, “*Fabrication of SmFe<sub>12</sub>/α-Fe thin films as anisotropic nanocomposite magnet*”, J. Alloys. Comp. **408-412** (2006) 1368-1372.
15. T. Akiya, H. Kato, M. Sagawa, **K. Koyama** and T. Miyazaki, “*High-magnetic-field annealing and coercivity in sintered Nd-Dy-Fe-B type magnets*”, J. Magn. Soc. Jpn., **30** (2006) 447-454 (in Japanese).
16. H. Kato, T. Akiya, M. Sagawa, **K. Koyama** and T. Miyazaki, “*Effect of high magnetic field on the coercivity in sintered Nd-Fe-B magnets*”, J. Magn. Magn. Matter. **310** (2007) 2596-2598.
17. T. Akiya, H. Kato, M. Sagawa and **K. Koyama**, “*Enhancement of coercivity in Al and Cu added Nd-Fe-B sintered magnets by high field annealing*”, IOP Conf. Ser.: Mat. Sci. Eng. 1 (2009) 012034(1)-(6).
18. H. Kato, **K. Koyama**, K. Takahashi, “*Crystallization of Nd-Co-B nanocomposite ribbons in high magnetic fields*”, J. Appl. Phys., **109** (2011) 07A726.

### **C. Experiments under high magnetic field, low temperature and high pressure** (3)

1. **K. Koyama**, S. Hane, K. Kamishima and T. Goto, “*Instrument for high resolution magnetization measurements at high pressures, high magnetic fields and low temperatures*”, Rev. Sci. Instrum. **69** (1998) 3009-3014.
2. K. Umeo, T. Takabatake, H. Ohmoto, T. Pietrus, H. B. Lohneysen, **K. Koyama**, S. Hane and T. Goto, “*Low-temperature specific heat and magnetic susceptibility near the pressure-induced quantum phase transition in Ce<sub>7</sub>Ni<sub>3</sub>*”, Phys. Rev. B **58** (1998) 12095-12099.
3. **K. Koyama**, T. Goto, H. Fujii, N. Takeshita, N. Mori, H. Fukuda and Y. Janssen, “*Observation of new magnetic phases in Ce<sub>2</sub>Fe<sub>17</sub> under high pressure and high magnetic fields*”, J. Phys. Soc. Jpn. **67** (1998) 1879-1882.
4. **K. Koyama**, T. Goto, H. Fujii, H. Fukuda and Y. Janssen, “*Magnetization measurements of Ce<sub>2</sub>Fe<sub>17</sub> under high pressure and high magnetic fields*”, J. Magn. Soc. Jpn. **23** (1999) 471-473.
5. **K. Koyama**, T. Goto, T. Kanomata and R. Note, “*Precise magnetization measurements of single-crystalline FeSi under high pressure*”, J. Phys. Soc. Jpn. **68** (1999) 1693-1698.
6. **K. Koyama**, T. Goto, T. Kanomata and R. Note, “*Observation of an itinerant metamagnetic*



- transition in MnSi under high pressure*", Phys. Rev. B. **62** (2000) 986-991.
7. **K. Koyama**, H. Fujii, T. Goto, H. Fukuda and Y. Janssen, "*Magnetic phase transitions of Ce<sub>2</sub>Fe<sub>17</sub> under high pressure and high magnetic fields*", Physica B **294-295** (2001) 168-171.
  8. **K. Koyama**, T. Goto, T. Kanomata and R. Note, "*Magnetization measurement of MnSi just above the critical pressure*", Physica B **312-313** (2002) 485-486.
  9. H. Okada, **K. Koyama**, S. Miura, M. Yamada, T. Goto, Y. Makihara, H. Fujii, K. Watanabe, "*Pressure effect on the magnetic properties of Ce(Fe<sub>1-x</sub>Co<sub>x</sub>)<sub>2</sub>*", J. Phys. Soc. Jpn. **73** (2004) 1982-1986.
  10. H. Okada, **K. Koyama**, M. Yamada, T. Goto, Y. Makihara, H. Fujii, K. Watanabe, "*Magnetic properties of Ce(Fe<sub>1-x</sub>Co<sub>x</sub>)<sub>2</sub> under high pressure*", J. Alloys Comp. **408-412**, (2006), 144-146.
  11. A.V. Andreev, **K. Koyama**, N.M. Mushnikov, V. Sechovsky, Y. Shiokawa, I. Satoh, and K. Watanabe, "*Interplay between effects of external pressure and dilution of the U sublattice in UCoAl-base materials: the U<sub>0.94</sub>Y<sub>0.06</sub>CoAl case*", High Pressure Res., **26** (2006) 475-478.
  12. E.A. Tereshina, H. Yoshida, A.V. Andreev, I.S. Tereshina, **K. Koyama**, and T. Kanomata, "*Interplay between hydrogenation and pressure effects in magnetism of Lu<sub>2</sub>Fe<sub>17</sub> single crystal*", High Pressure Res., **26** (2006) 485-488.
  13. **K. Koyama**, S. Miura, H. Okada, T. Shigeoka, K. Watanabe, "*Magnetic entropy changes of SmMn<sub>2</sub>Ge<sub>2</sub> under high pressure*", Mater. Trans. **48** (2007) 451-454.
  14. A.V. Andreev, **K. Koyama**, N.M. Mushnikov, V. Sechovsky, Y. Shiokawa, I. Satoh, and K. Watanabe, "*Interplay between effects of external pressure and dilution of the U-sublattice in UCoAl-base materials*", J. Alloys Comp., **441** (2007) 33-38.
  15. **K. Koyama**, H. Onodera, and K. Watanabe, "*Magnetization measurements of DyB<sub>2</sub>C<sub>2</sub> under high pressure and high magnetic fields*", Physica B **403** (2008) 1607-1608.
  16. Y. Yamato M. Matsukawa, T. Kumagai, R. Suryanarayanan, S. Nimori, M. Apostu, A. Revcolevschi, **K. Koyama**, and N. Kobayashi, "*Effect of pressure on the steplike magnetostriction of single crystalline bilayered manganite (La<sub>0.4</sub>Pr<sub>0.6</sub>)<sub>1.2</sub>Sr<sub>1.8</sub>Mn<sub>2</sub>O<sub>7</sub>*", Phys. Rev. B **78** (2008) 132411-(4).
  17. Y. Yamato, M. Matsukawa, Y. Murano, R. Suryanarayanan, S. Nimori, M. Apostu, A. Revcolevschi, **K. Koyama**, N. Kobayashi, "*Colossal electroresistance and colossal magnetoresistive step in paramagnetic insulating phase of single crystalline bilayered manganite (La<sub>0.4</sub>Pr<sub>0.6</sub>)<sub>1.2</sub>Sr<sub>1.8</sub>Mn<sub>2</sub>O<sub>7</sub>*", Appl. Phys. Lett. **94** (2009) 092507(1)-(3).
  18. Y. Yamato, M. Matsukawa, S. Nimori, R. Suryanarayanan, Y. Murano, Y. Nakanishi, M. Apostu, A. Revcolevschi, **K. Koyama**, and N. Kobayashi, "*Effect of pressure on Lattice distortion, transport and magnetic properties of Pr-substituted La<sub>1.2</sub>Sr<sub>1.8</sub>Mn<sub>2</sub>O<sub>7</sub> bilayered manganite*", J. Phys.: Condens Matter **21** (2009) 486001(1)-(5).

19. T. Shigeoka, T. Fujiwara, **K. Koyama**, K. Watanabe, and Y. Uwatoko, “*High Field Metamagnetism of PrRh<sub>2</sub>Si<sub>2</sub> Single Crystal Compound Having Anomalously High Neel Temperature*”, J. Low Temp. Phys. **159** (2010) 42-45.
20. A.V. Andreev, E.A. Tereshina, E. Santava, J. Sebek, **K. Koyama**, and K. Watanabe, “*Sublattice contributions to the magnetism of UFe<sub>3</sub>Al<sub>7</sub> and UFe<sub>6</sub>Al<sub>6</sub>*”, J. Alloys Comp. **492** (2010) 52-55.
21. Y. Murano, M. Matsukawa, S. Ohuchi, S. Kobayashi, S. Nimori, R. Suryanarayanan, **K. Koyama**, N. Kobayashi, “*Effect of pressure on the magnetic, transport, and thermal-transport properties of the electron-doped manganite CaMn<sub>1-x</sub>Sb<sub>x</sub>O<sub>3</sub>*”, Phys. Rev. B **83** (2011) 054437(1)-(13).
22. M. Ito, Y. Nagi, N. Kado, S. Urakawa, T. Ogawa, A. Kondo, **K. Koyama**, K. Watanabe, K. Kindo, “*Magnetic properties of spinel FeCr<sub>2</sub>S<sub>4</sub> in high magnetic field*”, J. Magn. Magn. Mater., **323**, (2011) 3290-3293.
23. T. Inomata, M. Matsukawa, D. Kimura, Y. Yamato, S. Kobayashi, R. Suryanarayanan, S. Nimori, **K. Koyama**, K. Takahashi, K. Watanabe, N. Kobayashi, “*Suppression of the low-temperature phase-separated state under pressure in (Eu<sub>1-x</sub>Gd<sub>x</sub>)<sub>0.6</sub>Sr<sub>0.4</sub>MnO<sub>3</sub> (x = 0, 0.1)*”, J. Magn. Magn. Mater. **324**, (2012) 3863-3869.
24. T. Sakon, **K. Koyama**, O. Kamiya, S. Awaji, S. Nakamura, T. Nojima, H. Nojiri, K. Watanabe, and M. Hiroi, “*High-field magnetization measurements of Fe<sub>2</sub>MnSi*”, J. Phys. Soc. Jpn. **82** (2013) 044802(4).
25. S. Yoshinaga, S. Miura, T. Kanomata, Y. Mitsui, **K. Koyama**, “*Pressure Effect on Magnetism of Weak Itinerant Electron Ferromagnet Ni<sub>74.6</sub>Al<sub>25.4</sub>*”, IEEE Magn. Lett. **8** (2017) 1400403-(4)
26. S. Yoshinaga, Y. Mitsui, R. Y. Umetsu, Y. Uwatoko, K. Koyama, “*Pressure effect on magnetic properties of weak itinerant electron ferromagnet GrAlGe*”, J. Phys. Soc. Jpn 87 (2018) 014701.

#### **D. Electron spin resonance and cyclotron resonance in high magnetic field (4)**

1. **K. Koyama**, M. Yoshida, H. Nojiri, T. Sakon, D.X. Li, T. Suzuki and M. Motokawa, “*Antiferromagnetic resonance and magnetic structure of GdAs*”, J. Phys. Soc. Jpn. **69** (2000) 1521-1525.
2. M. Yoshida, **K. Koyama**, T. Sakon, A. Ochiai and M. Motokawa, “*Cyclotron resonance of LaSb*”, J. Phys. Soc. Jpn. **69** (2000) 3629-3632.
3. **K. Koyama**, M. Yoshida, T. Sakon, D.X. Li, T. Suzuki and M. Motokawa, “*Cyclotron resonance of GdAs*”, J. Phys. Soc. Jpn **69** (2000) 3425-3428.
4. **K. Koyama**, M. Yoshida, H. Nojiri, T. Sakon, M. Motokawa, D.X. Li and T. Suzuki, “*Magnetic resonance of GdAs*”, Physica B. **281&282** (2000) 456-457.
5. H. Kato, M. Ishizone, T. Miyazaki, **K. Koyama**, H. Nojiri, and M. Motokawa, “*Characterization of exchange coupling in nanocomposite magnets by ferromagnetic resonance*”, J. Magn. Soc. Jpn.

- 25 (2001) 675-678 (in Japanese).
6. H. Kato, M. Ishizone, T. Miyazaki, **K. Koyama**, H. Nojiri and M. Motokawa, "*High-frequency ferromagnetic resonance in  $Nd_2Fe_{14}B/\alpha\text{-Fe}$  nanocomposite films*", IEEE Trans. Magn. **37** (2001) 2567-2569.
  7. H. Ohta, Y. Oshima, T. Sakurai, S. Okubo, T. Tanaka, **K. Koyama**, M. Motokawa, H. Kikuchi, H. Nagasawa, J.P. Boucher, "*Observation of direct transition in  $S=1/2$  quantum spin system  $Cu_2(C_5N_{12}N_2)_2Cl_4$  by high field ESR*", J. Magn. Magn. Mater. **226-230** (2001) 439-440.
  8. Y. Oshima, H. Ohta, S. Okubo, **K. Koyama**, M. Motokawa, M. Tamura, Y. Nishio and K. Kajita, "*Fermi surface study of  $\theta\text{-}(BEDT\text{-}TTF)_2I_3$  by cyclotron resonance measurements*", Synth. Metals. **120** (2001) 853-854.
  9. Y. Oshima, H. Ohta, S. Okubo, **K. Koyama**, M. Motokawa, M. Tamura, Y. Nishio and K. Kajita, "*High-field magneto-optical measurements of BEDT-TTF salts*", Physica B **294-295** (2001) 431-434.
  10. M. Yoshida, **K. Koyama**, H. Hiraga, Y. Endoh and M. Motokawa, "*High field ESR measurements of  $CoS_2$* ", Physica B **294-295** (2001) 145-148.
  11. **K. Koyama**, M. Yoshida, T. Sakon, H. Nojiri, D.X. Li, T. Suzuki and M. Motokawa, "*ESR and CR measurements of Gd mononictides*", Physica B **294-265** (2001) 156-159.
  12. **K. Koyama**, M. Yoshida, D.X. Li and M. Motokawa, "*Magnetic resonance of  $GdP$* ", J. Phys. Soc. Jpn. **70** (2001) 2774-2777.
  13. M. Yoshida, **K. Koyama**, T. Tomimatsu, M. Shirakawa, A. Ochiai and M. Motokawa, "*Cyclotron resonance of  $LaBi$* ", J. Phys. Soc. Jpn. **70** (2001) 2078-2081. 要コピーok
  14. T. Sakon, H. Nojiri, **K. Koyama**, T. Asano, Y. Ajiro and M. Motokawa, "*Electron spin resonance study of Cu Benzoate using  $^3He\text{-}^4He$  dilution refrigerator*", J. Phys. Soc. Jpn. **70** (2001) 2259-2262.
  15. **K. Koyama**, T. Tomimatsu, M. Yoshida, D.X. Li and M. Motokawa, "*Cyclotron resonance of  $GdSb$* ", J. Phys. Soc. Jpn. **70** (2001) 2371-2375.
  16. M. Yoshida, **K. Koyama**, M. Shirakawa, A. Ochiai, K. Watanabe and M. Motokawa, "*Cyclotron resonance in  $CeSb$* ", J. Phys. Soc. Jpn. **71** (2002) 2847-2850. print ok
  17. M. Yoshida, **K. Koyama**, M. Shirakawa, A. Ochiai, K. Watanabe and M. Motokawa, "*Observation of Doppler-shifted cyclotron resonance in  $LaSb$* ", Phys. Rev. B **66** (2002) 233107-(4).
  18. M. Yoshida, **K. Koyama**, T. Tomimatsu, M. Shirakawa, A. Ochiai and M. Motokawa, "*Determination of cyclotron effective masses on  $LaSb$* ", J. Phys. Soc. Jpn. **71** (2002) 1752-1756.
  19. Y. Oshima, H. Ohta, **K. Koyama**, M. Motokawa, H.M. Yamamoto and R. Kato, "*Observation on high-order harmonic resonance in magneto-optical measurements of  $(BEDT\text{-}TTF)_2Br(DIA)$* ", J.

- Phys. Soc. Jpn. **71** (2002) 1031-1034.
20. T. Sakon, **K. Koyama** and M. Motokawa, "*Electron spin resonance experiments at ultra-low temperature by means of a dilution refrigerator*", Rev. Sci. Instrum. **73** (2002) 1242-1246.
  21. **K. Koyama**, M. Yoshida, T. Tomimatsu, T. Sakon, D.X. Li, M. Shirakawa, A. Ochiai and M. Motokawa, "*Observation of cyclotron resonance in rare-earth monopnictides by millimeter microwave region*", J. Phys. and Chem. of Solids. **63** (2002) 1227-1230.
  22. **K. Koyama**, T. Tomimatsu, M. Yoshida, D.X. Li and M. Motokawa, "*Observation of cyclotron resonance on GdSb*", Physica B **312-313** (2002) 680-681.
  23. T. Tomimatsu, **K. Koyama**, M. Yoshida, D.X. Li and M. Motokawa, "*Magnetic resonance of GdBi*", Physica B **312-313** (2002) 682-683.
  24. M. Yoshida, **K. Koyama**, T. Tomimatsu, M. Shirakawa, A. Ochiai and M. Motokawa, "*The observation of cyclotron resonance in LaSb* ", Physica B **312-313** (2002) 684-685.
  25. M. Yoshida, **K. Koyama**, T. Tomimatsu, M. Shirakawa, A. Ochiai and M. Motokawa, "*Observation of cyclotron resonance on LaBi*", Physica B. **322** (2002) 306-307.
  26. T. Tomimatsu, **K. Koyama**, M. Yoshida, D.X. Li and M. Motokawa, "*Observation of antiferromagnetic resonance affected by hyperfine interaction in GdBi*", Phys. Rev. B **67** (2003) 014406-(4).
  27. T. Suzuki, H. Matsui, H. Tsuchiya, E. Negishi, **K. Koyama**, and N. Toyota, "*Antiferromagnetic resonance in  $\lambda$ -(BEDT-TSF) $_2$ FeCl $_4$* ", Phys. Rev.B **67** (2003) 020408(R) (1)-(4).
  28. M. Yoshida, **K. Koyama**, P.C. Canfield, C. Cunningham, S. Nimori, K. Watanabe and M. Motokawa, "*Cyclotron resonance in PrSb*", J. Phys. Soc. Jpn. **72** (2003) 705-708.
  29. Y. Oshima, H. Ohta, H.M. Yamamoto, R. Kato, **K. Koyama**, and M. Motokawa, "*Magneto-optical measurements of BEDT-TTF salts containing supramolecular assemblies*", Synthetic Metals **133-134**, (2003) 453-454.
  30. Y. Oshima, H. Ohta, **K. Koyama**, M. Motokawa, H. Nishikawa, K. Kikuchi and I. Ikemoto, "*Magneto-optical measurements of quasi-one-dimensional conductor (DMET) $_2$ I $_3$* ", Synthetic Metals **135-136** (2003) 531-532.
  31. Y. Oshima, H. Ohta, **K. Koyama**, M. Motokawa, H.M. Yamamoto, R. Kato, M. Tamura, Y. Nishio and K. Kajita, "*Fermi surface study of quasi-two dimensional organic conductors by magneto-optical measurements*", J. Phys. Soc. Jpn **72**, (2003) 143-148.
  32. M. Yoshida, **K. Koyama**, M. Shirakawa, A. Ochiai, K. Watanabe, and M. Motokawa, "*Cyclotron resonance and magnetic resonance in GdSb*", J. Phys. Soc. Jpn. **73**, (2003) 1763-1767.
  33. M. Yoshida, **K. Koyama**, T. Tomimatsu, M. Shirakawa, A. Ochiai and M. Motokawa, "*Doppler-shifted cyclotron resonance with Alfvén waves in LaSb*", Physica B **329-333**, (2003) 1092-1093.

34. M. Yoshida, **K. Koyama**, T. Tomimatsu, M. Shirakawa, A. Ochiai and M. Motokawa, "*Observation of cyclotron resonance in CeSb*", Physica B **329-333**, (2003) 557-558.
35. T. Sakon, **K. Koyama**, M. Motokawa, H. Nojiri, T. Asano, Y. Ajiro, "*Electron spin resonance measurements at ultralow temperature*", Physica B **329**, (2003) 1629-1631.
36. M. Yoshida, **K. Koyama** and M. Motokawa, "*Cyclotron resonance experiments in rare-earth monopnictides*", J. Phys.: Condensed Matter **15**, (2003) S2119-S2122.
37. T. Suzuki, H. Matsui, H. Tsuchiya, E. Negishi, **K. Koyama**, and N. Toyota, "*Antiferromagnetic resonance in  $\lambda$ -(BEDT-TSF) $_2$ FeCl $_4$* ", Synthetic Metals **135-136**, (2003) 567-568.
38. Y. Oshima, M. Kimata, K. Kishigi, H. Ohta, **K. Koyama**, M. Motokawa, H. Nishikawa, K. Kikuchi and I. Ikemoto, "*Fermi surface study of quasi-one-dimensional metals using magneto-optical techniques*", Phys. Rev. B **68** (2003) 054526(1)-(5).
39. H. Ohta, Y. Oshima, Y. Inagaki, S. Okubo, M. Kimata, **K. Koyama**, M. Motokawa and T. Mori, "*Magneto-optical measurements of  $\beta$ -(BEDT-TTF) $_2$ AuI $_2$* ", Synthetic Metals **135-136**, (2003) 527-528.
40. T. Sakon, H. Nojiri, **K. Koyama**, T. Asano, Y. Ajiro and M. Motokawa, "*ESR measurements at ultra-low temperatures using a dilution refrigerator*", J. Phys. Soc. Jpn **72**, (2003) Suppl. B 140-144.
41. **K. Koyama**, M. Yoshida, D.X. Li and M. Motokawa, "*Electron spin resonance of GdX (X=P, As, Sb and Bi)*", J. Phys. Soc. Jpn. **72**, (2003) Suppl. B. 145-150.
42. M. Kimata, Y. Oshima, H. Ohta, **K. Koyama**, M. Motokawa, H.M. Yamamoto, and R. Kato, "*Magneto-optical measurement of  $\beta$ '-(BEDT-TTF)(TCNQ)*", Physica B **346-347**, (2004) 382-386.
43. Y. Oshima, M. Kimata, K. Kishigi, H. Ohta, **K. Koyama**, M. Motokawa, H. Nishikawa, K. Kikuchi, and I. Ikemoto, "*Observation of high-order quasi-one-dimensional periodic orbit resonance in (DMET) $_2$ I $_3$  and its Fermi surface*", Physica B **346-347**, (2004) 387-391.
44. T. Sakon, **K. Koyama**, M. Motokawa, Y. Ajiro, and B. Barbara, "*ESR experiments of molecular magnet V15 at ultra-low temperatures*", Physica B **346-347**, (2004) 206-210.
45. **K. Koyama**, T. Tomimatsu, M. Yoshida, D.X. Li, and M. Motokawa, "*ESR measurements of GdBi*", Physica B **346-347**, (2004) 155-159.
46. H. Ohta, O. Okubo, K. Fukuoka, Y. Inagaki, T. Kunimoto, M. Kimata, **K. Koyama**, M. Motokawa and Z. Hiroi, "*Breather excitation observed by high-field ESR in one-dimensional antiferromagnet BaCu $_2$ (Si $_{1-x}$ Ge $_x$ ) $_2$ O $_7$  (x = 0.65)*", J. Magn. Magn. Matter. **272-276** (2004) 929-930.
47. M. Yoshida, **K. Koyama**, M. Shirakawa, A. Ochiai, K. Watanabe, and M. Motokawa, "*Cyclotron resonance measurements of the high-quality single crystal GdSb*", J. Magn. Magn. Matter. **272-276** (2004) 495-496.

48. M. Kimata, H. Ohta, **K. Koyama**, Y. Oshima, M. Motokawa, H.M. Yamamoto, R. Kato, “*Development of high field magneto-optical measurement system with a rotational cavity for the study of organic conductors*”, Int. J. Mod. Phys. **18** (2004) 3803-3806.
49. M. Yoshida, **K. Koyama**, A. Ochiai, and M. Motokawa, “*Cyclotron resonance in rare-earth monopnictides*”, Phys. Rev. B. **71**, (2005) 075102(1)-(12).
50. M. Kimata, **K. Koyama**, H. Ohta, Y. Oshima, M. Motokawa, H. Nishikawa, K. Kikuchi and I. Ikemoto, “*The development and the applications of the magneto-optical measurement system equipped with a rotational resonant cavity in the millimeter-wave region*”, Jpn. J. Appl. Phys. **44**, (2005) 4930-4934.
51. S.V. Demishev, A.V. Semeno, N.E. Sluchanko, N.A. Samarin, A.A. Pronin, V.V. Glushkov, H. Ohta, S. Okubo, M. Kimata, **K. Koyama**, M. Motokawa, A.V. Kuznetsov, “*Disorder-driven quantum critical behaviour in CuGeO<sub>3</sub> doped with magnetic impurity*”, Physica B **359-361**, (2005) 1315-1317.
52. M. Kimata, Y. Oshima, **K. Koyama**, H. Ohta, M. Motokawa, H.M. Yamamoto, R. Kato, “*Fermi surface study of  $\beta''$ -(BEDT-TTF)(TCNQ) by magneto-optical measurements*”, Synthetic Metals **153**, (2005) 369-372.
53. S.V. Demishev, A. Semeno, A. Proin, N. Sluchanko, N. Samarin, H. Ohta, S. Okubo, M. Kimata, **K. Koyama**, M. Motokawa, “*The competition between staggered field and antiferromagnetic interaction in CuGeO<sub>3</sub>:Fe*”, Prog. Theor. Phys. suppl. **159** (2005) 387-391.
54. T. Sakon, **K. Koyama**, M. Motokawa, A. Muller, B. Barbara, Y. Ajiro, “*Detailed ESR measurements for the quantum molecular magnet V15 at ultra-low temperatures*”, Prog. Theor. Phys. suppl. **159** (2005) 302-307.
55. H. Ohta, M. Kimata, **K. Koyama**, Y. Oshima, M. Motokawa, H. Nishikawa, K. Kikuchi, I. Ikemoto, “*Magneto-optical measurement of organic conductor using rotational cavity system*”, Int. J. Infrared and Millimeter Wave **26**, (2005) 1525-1530.
56. S. Okubo, D. Fukuoka, M. Kimata, H. Ohta, Y. Inagaki, T. Kumimoto, **K. Koyama**, M. Motokawa, Z. Hiroi, “*Oshikawa-Affleck electron spin resonance behavior observed in one-dimensional antiferromagnet BaCu<sub>2</sub>(Si<sub>1-x</sub>Ge<sub>x</sub>)<sub>2</sub>O<sub>7</sub> (x=0.65)*” J. Phys. Soc. Jpn, **74** (2005) Suppl. 80-85.
57. S.V. Demishev, A.V. Semeno, A.A. Pronin, N.E. Sluchanko, N.A. Samarin, H. Ohta, S. Okubo, M. Kimata, **K. Koyama**, M. Motokawa and A.V. Kuznetsov, “*Low-temperature study of the quantum critical phenomena in CuGeO<sub>3</sub>:Fe*”, J. Magn. Magn. Matter. **300**, (2006) e346-e349.
58. M. Kimata, Y. Oshima, **K. Koyama**, H. Ohta, M. Motokawa, H. Nishikawa, K. Kikuchi, I. Ikemoto, “*Detailed Fermi surface topology of the quasi-one-dimensional conductor (DMET)<sub>2</sub>I<sub>3</sub>*”, J. Low Temp. Phys. **142** (2006) 523-526.

59. M. Kimata, H. Ohta, **K. Koyama**, M. Motokawa, R. Kondo, S. Kagoshima, H. Tanaka, M. Tokumoto, H. Kobayashi, and A. Kobayashi, “*Fermi surface study of organic conductors using a magneto-optical measurement under high magnetic fields*”, J. Phys.: Conf. Ser. **51** (2006) 359-362.
60. M. Kimata, Y. Oshima, H. Ohta, **K. Koyama**, M. Motokawa, H.M. Yamamoto, and R. Kato, “*Low-temperature Fermi surface of the organic conductor  $\beta$ ''-(BEDT-TTF)(TCNQ)<sub>(1-x)</sub>(F1-TCNQ)<sub>x</sub> (x=0, 0.05) from magneto-optical measurements*”, Phys. Rev. B **75** (2007) 045126-(9).
61. M. Yoshida, Y. Kitano, Y. Inagaki, T. Sakurai, M. Kimata, S. Okubo, H. Ohta, **K. Koyama**, M. Motokawa, T. Asano, and Y. Ajiro, “*Observation of direct transitions in the ferromagnetic and antiferromagnetic dimer system (CH<sub>3</sub>)<sub>2</sub>NH<sub>2</sub>CuCl<sub>3</sub> by high-field ESR*”, J. Phys. Soc. Jpn **76** (2007) 113704(1)-(4).
62. S. Kimura, K. Okunishi, M. Hagiwara, K. Kindo, Z. He, T. Taniyama, M. Itoh, **K. Koyama**, and K. Watanabe, “*Collapse of Magnetic Order of the Quasi One-Dimensional Ising-Like Antiferromagnet BaCo<sub>2</sub>V<sub>2</sub>O<sub>8</sub> in Transverse Fields*”, J. Phys. Soc. Jpn **82** (2013) 033706-4.

#### **E. High field X-ray diffraction measurements and field-controlled materials** (5)

1. F. Ishikawa, **K. Koyama**, K. Watanabe, and H. Wada, “*Field induced structural transformation in MnAs*”, Jpn. J. Appl. Phys **42**, (2003) L918-L920.
2. A. Fujita, K. Fukamichi, **K. Koyama**, and K. Watanabe, “*X-ray diffraction study in high magnetic fields of magnetovolume effect in itinerant-electron metamagnetic La(Fe<sub>0.88</sub>Si<sub>0.12</sub>)<sub>13</sub> compound*”, J. Appl. Phys. **95**, (2004) 6687-6689.
3. F. Ishikawa, **K. Koyama**, K. Watanabe, T. Asano, and H. Wada, “*Structural transformation of MnAs<sub>1-x</sub>Sb<sub>x</sub> under high magnetic fields*”, Mater. Trans. **45**, (2004) 311-314.
4. **K. Koyama**, K. Fukushima, M. Yamada, T. Goto, Y. Makihara, H. Fujii, and K. Watanabe, “*High field x-ray diffraction and high pressure magnetization measurements of the pseudobinary compound Ce(Fe<sub>0.9</sub>Co<sub>0.1</sub>)<sub>2</sub>*”, Physica B **346-347**, (2004) 187-190.
5. F. Ishikawa, **K. Koyama**, K. Watanabe, and H. Wada, “*X-ray diffraction study of the structural phase transition in MnAs under high magnetic fields*”, Physica B **346-347**, (2004) 408-412.
6. **K. Koyama**, K. Fukushima, Y. Makihara, H. Fujii, and K. Watanabe, “*X-ray diffraction study on the pseudobinary compound Ce(Fe<sub>0.9</sub>Co<sub>0.1</sub>)<sub>2</sub> in high magnetic fields*”, J. Phys. Soc. Jpn. **73**, (2004) 676-680.
7. Y. Makihara, **K. Koyama**, K. Fukushima, K. Watanabe, and H. Fujii, “*X-ray diffraction study on Ce(Fe<sub>1-x</sub>Co<sub>x</sub>)<sub>2</sub> in high field at low temperature*”, J. Magn. Magn. Matter. **272-276** (2004) 608-610.

8. D. Kikuchi, T. Kanomata, Y. Yamaguchi, H. Nishihara, **K. Koyama**, and K. Watanabe, “*Magnetic properties of ferromagnetic shape memory alloys  $Ni_2Mn_{1-x}Fe_xGa$* ”, J. Alloys and Comp., **383** (2004) 184-188.
9. **K. Koyama**, M. Sakai, T. Kanomata and K. Watanabe, “*Field-induced martensitic transformation in new ferromagnetic shape memory compound  $Mn_{1.07}Co_{0.92}Ge$* ”, Jpn. J. Appl. Phys. **43** (2004) 8036-8039.
10. K. Irisawa, A. Fujita, K. Fukamichi, M. Yamada, H. Mitamura, T. Goto and **K. Koyama**, “*Transition between antiferromagnetic and ferromagnetic states in itinerant-electron  $La(Fe_xAl_{1-x})_{13}$  compounds*”, Phys. Rev. B **70** (2004) 214405(1)-(16).
11. S. Miura, **K. Koyama**, H. Okada, T. Shigeoka and K. Watanabe, “*High-field X-ray diffraction measurements of  $SmMn_2Ge_2$* ”, Jpn. J. Appl. Phys. **44** (2005) 1258-1259.
12. **K. Koyama**, T. Kanomata and K. Watanabe, “*High field X-ray diffraction studies on  $MnFeP_{0.5}As_{0.5}$* ”, Jpn. J. Appl. Phys., **44** (2005) L549-L551.
13. T. Kanomata, T. Nozawa, D. Kikuchi, H. Nishihara, **K. Koyama** and K. Watanabe, “*Magnetic properties of ferromagnetic shape memory alloys  $Ni_{2-x}Cu_xMnGa$* ”, Int. J Appl. Electromagnetics and Mechanics **21**, (2005) 151-157.
14. **K. Koyama**, T. Kanomata, T. Matsukawa and K. Watanabe, “*Magnetic field effect on structural property of  $MnFeP_{0.5}As_{0.5}$* ”, Mater. Trans. **46** (2005) 1753-1756.
15. J.L. Her, **K. Koyama**, K. Watanabe, V. Provenzano, A. Fu, A.J. Shapiro, and R.D. Shull, “*High field X-ray diffraction studies on  $Gd_5(Ge_{2-x}Fe_x)Si_2$  ( $x=0.05$  and  $0.2$ )*”, Mater. Trans. **46** (2005) 2011-2014.
16. 小山佳一, 淡路智, 渡辺和雄, “*強磁場中 X 線回折測定の方法開発への応用*”, までりあ **44** (2005) 10-16.
17. **K. Koyama**, F. Ishikawa, and K. Watanabe, “*High field x-ray diffraction studies on magnetic refrigerants*”, Int. J Appl. Electromagnetics and Mechanics, **23** (2006) 153-163.
18. K. Yagasaki, S. Notsu, Y. Takaesu, T. Nakama, E. Sakai, **K. Koyama**, K. Watanabe and A.T. Burkov, “*X ray diffraction on rare earth-3d Laves phase compound of  $ErCo_2$  in magnetic field*”, Physica B **378-380** (2006) 1089-1090.
19. **K. Koyama**, T. Kanomata, T. Watanabe, T. Suzuki, H. Nishihara, and K. Watanabe, “*X-ray powder diffraction studies of  $Mn_3Ga_{0.97}Al_{0.03}C$  in magnetic fields*”, Mater. Trans. **47** (2006) 492-495.
20. V.A. Chernenko, V.A. Lvov, T. Kanomata, T. Kakeshita, **K. Koyama** and S. Besseghini, “*Martensitic transformation in Ni–Mn–Ga alloy under high magnetic fields*”, Mater. Trans. **47** (2006) 635-638.
21. **K. Koyama**, K. Watanabe, T. Kanomata, R. Kainuma, K. Oikawa, and K. Ishida, “*Observation*



- of field-induced reverse transformation in ferromagnetic shape memory alloy Ni<sub>50</sub>Mn<sub>36</sub>Sn<sub>14</sub>*”, Appl. Phys. Lett. **88** (2006) 132505(1)-(3).
22. **K. Koyama**, T. Kanomata, R. Kainuma, K. Oikawa, K. Ishida and K. Watanabe, “*High field X-ray diffraction measurements of novel ferromagnetic shape-memory alloy Ni<sub>50</sub>Mn<sub>36</sub>Sn<sub>14</sub>*”, Physica B, **383** (2006) 24-25.
  23. **K. Koyama**, H. Okada, K. Watanabe, T. Kanomata, R. Kainuma, W. Ito, K. Oikawa, K. Ishida, “*Observation of large magnetoresistance of magnetic Heusler alloy Ni<sub>50</sub>Mn<sub>36</sub>Sn<sub>14</sub> in high magnetic fields*”, Appl. Phys. Lett. **89** (2006) 182510(1)-(3).
  24. H. Yabuta, K. Umeo, T. Takabatake, **K. Koyama** and K. Watanabe, “*Temperature- and field-induced first-order ferromagnetic transitions in MnFe(P<sub>1-x</sub>Ge<sub>x</sub>)*”, J. Phys. Soc. Jpn **75** (2006) 113707(1)-(4).
  25. F. Ishikawa, **K. Koyama**, K. Watanabe, T. Asano, and H. Wada, “*First-order phase transition at the Curie temperature in MnAs and MnAs<sub>0.9</sub>Sb<sub>0.1</sub>*”, J. Phys. Soc. Jpn **75** (2006) 084604(1)-(6).
  26. V. Provenzano, B. Baumgold, R.D. Shull, A.J. Shapiro, **K. Koyama**, K. Watanabe, N.K. Singh, K.G. Suresh, A.K. Nigam, S.K. Malik, “*Structure and magnetocaloric properties of the Fe-doped HoTiGe alloy*”, J. Appl. Phys. **99** (2006) 08K906(1)-(3).
  27. O. Tegus, **K. Koyama**, J.L. Her, K. Watanabe, E. Bruck, K.H.J. Buschow, F.R. de Boer, “*X-ray diffraction on MnFeP<sub>0.46</sub>As<sub>0.54</sub> in a magnetic field*”, Physica B **392** (2007) 151-153.
  28. **K. Koyama**, T. Iagarashi, H. Okada, K. Watanabe, T. Kanomata, R. Kainuma, W. Ito, K. Oikawa, K. Ishida, “*Magnetic and thermoelectric properties of Ni<sub>50</sub>Mn<sub>36</sub>Sn<sub>14</sub> in high magnetic fields*”, J. Magn. Magn. Mater. **310** (2007) e994-e995.
  29. T. Onogi, **K. Koyama**, K. Watanabe, “*Magnetic properties of MnBi in high magnetic fields and high temperature*”, J. Jpn Inst. Metals **71**, (2007) 489-493. (in Japanese)
  30. **K. Koyama**, T. Onogi, Y. Mitsui, Y. Nakamoi, S. Orimo, and K. Watanabe, “*Magnetic phase transition of MnBi under high magnetic fields and high temperature*”, Mater. Trans. **48** (2007) 2414-2418.
  31. W. Ito, K. Ito, R.Y. Umetsu, R. Kainuma, **K. Koyama**, K. Watanabe, A. Fujita, K. Oikawa, K. Ishida, T. Kanomata, “*Kinetic arrest of martensitic transformation in the NiCoMnIn metamagnetic shape memory alloy*”, Appl. Phys. Lett. **92** (2008) 021908(1)-(3).
  32. K. Asano, **K. Koyama**, and K. Takenaka, “*Magnetostriction in Mn<sub>3</sub>CuN*”, Appl. Phys. Lett. **92** (2008) 161909(1)-(3).
  33. M. Ohtsuka, J. Sekino, **K. Koyama**, T. Takagi, and K. Itagaki, “*Magnetostructural phase transformation and shape memory effect of Fe-added Ni<sub>2</sub>MnGa films*”, Eur. Phys. J. Special Topics **158** (2008) 173-178.
  34. **K. Koyama**, Y. Mitsui and K. Watanabe, “*Magnetic and structural phase transitions of MnBi*

- under high magnetic fields*”, Sci. Technol. Adv. Mater. **9** (2008) 024204(1)-(5).
35. R.Y. Umetsu, W. Ito, K. Ito, **K. Koyama**, A. Fujita, K. Oikawa, T. Kanomata, R. Kainuma, K. Ishida, “*Anomaly in entropy change between parent and martensite phases in the Ni<sub>50</sub>Mn<sub>34</sub>In<sub>16</sub> Heusler alloy*”, Scripta Materialia, **60** (2009) 25-28.
  36. A.V. Andreev, **K. Koyama**, E.A. Tereshina, J. Prokleska, and K. Watanabe, “*Magnetoelasticity of (Lu<sub>0.8</sub>Ce<sub>0.2</sub>)<sub>2</sub>Fe<sub>17</sub> intermetallic compound*”, J. Alloys and Comp. **477** (2009) 62-67.
  37. X. Xu, W. Ito, R.Y. Umetsu, **K. Koyama**, R. Kainuma, and K. Ishida, “*Kinetic Arrest of Martensitic Transformation in Ni<sub>33.0</sub>Co<sub>13.4</sub>Mn<sub>39.7</sub>Ga<sub>13.9</sub> Metamagnetic Shape Memory Alloy*”, Mater. Trans. **51** (2010) 469-471.
  38. K. Takenaka, T. Shibayama, K. Asano and **K. Koyama**, “*Magnetostructural Correlations in Nitrogen-Deficient Antiperovskite Mn<sub>3</sub>CuNi<sub>1-δ</sub>*”, J. Phys. Soc. Jpn. **79** (2010) 073706.
  39. P.J. Shamberger, A.B. Pakhomov, K. **Koyama**, F.S. Ohuchi, “*Deviation of the magnetization change from the structural phase transition temperature in polycrystalline Ni-Mn-Sn in low magnetic fields*”, Scripta Materialia **63** (2010) 1161-1164.
  40. Y. Mitsui, **K. Koyama**, W. Ito, R.Y. Umetsu, R. Kainuma, K. Watanabe, “*Observation of Reverse Transformation in Metamagnetic Shape Memory Alloy Ni<sub>40</sub>Co<sub>10</sub>Mn<sub>34</sub>Al<sub>16</sub> by High-Field X-Ray Diffraction Measurements*”, Mater. Trans. **51** (2010) 1648-1650.
  41. R.Y. Umetsu K. Ito, **K. Koyama**, T. Kanomata, K. Ishida and R. Kainuma, “*Kinetic arrest behavior in martensitic transformation of NiCoMnSn metamagnetic shape memory alloy*”, J. Alloys and Comp., **509** (2011) 1389-1393.
  42. M. Yamamoto, S. Sekida, T. Fukuda, T. Kakeshita, K. Takahashi, **K. Koyama**, H. Nojiri, “*A new type of FCT martensite phase in single-crystalline Fe<sub>3</sub>Pt Invar alloy*”, J. Alloys and Comp., **509** (2011) 8530-8533.
  43. H. Orihashi, D. Mitsunaga, M. Hiroi, Y. Mitsui, K. Takahashi, K. Watanabe and **K. Koyama**, “*X-ray diffraction study on crystal structure of Mn<sub>1.8</sub>Co<sub>0.2</sub>Sb under high magnetic fields*”, J. Japan Inst. Metals, **76** (2012) 246-250 (in Japanese).
  44. J.A. Monroe, I. Karaman, B. Basaran, W. Ito, R.Y. Umetsu, R. Kainuma, **K. Koyama**, Y.I. Chumlyakov, “*Direct measurement of large reversible magnetic-field-induced strain in Ni-Co-Mn-In metamagnetic shape memory alloys*”, Acta Materialia **60** (2012) 6883-6891.
  45. **K. Koyama**, K. Watanabe, O. Tegus, E. Brück, K.H.J. Buschow, F.R. de Boer, “*X-Ray Powder Diffraction Studies on MnFeP<sub>0.78</sub>Ge<sub>0.22</sub> in High Magnetic Fields*”, J. Low Temp. Phys. **170** (2013) 279-284.
  46. H. Orihashi, M. Hiroi, Y. Mitsui, K. Takahashi, K. Watanabe, K. Matsubayashi, Y. Uwatoko and **K. Koyama**, “*Magnetic and Structural Properties of Mn<sub>1.8</sub>Co<sub>0.2</sub>Sb under High Magnetic Fields*”, Mater. Trans. **54** (2013) 969-973.

47. R.Y. Umetsu, D. Kikuchi, **K. Koyama**, K. Watanabe, Y. Yamaguchi, R. Kainuma, T. Kanomata, "Site occupancy and magnetic moment of Fe in  $Ni_2Mn_{0.3}Fe_{0.7}Ga$  alloy by neutron powder diffraction study", J. Alloy. Comp. **580** (2013) 506-511.
48. K. Ohtake, Y. Mitsui, K. Takahashi, R. Onodera, S. Kimura, K. Watanabe and **K. Koyama**, "X-ray diffraction measurements of the Fe-Rh alloy under high magnetic fields and at high temperatures", IEEE Trans. Mang. **50** (2014) 1001404(4).
49. K. Abematsu, R.Y. Umetsu, R. Kainuma, T. Kanomata, K. Watanabe and K. Koyama, "Structural and magnetic properties of magnetic shape memory alloy  $Ni_{46}Mn_{41}In_{13}$  under magnetic fields", Mater. Trans. **55** (2014) 477-481.
50. K. Ozono, Y. Mitsui, M. Hiroi, R.Y. Umetsu, K. Takahashi, K. Matsubayashi, Y. Uwatoko, **K. Koyama**, "Magnetic and Structural Properties of Metamagnetic  $MnCo_{0.92}Fe_{0.08}Ge$  Compound", Mater. Trans. **57** (2016) 316-320.
51. T. Wakamori, Y. Mitsui, K. Takahashi, R.Y. Umetsu, M. Hiroi, **K. Koyama**, "High Field X-ray Diffraction Measurements of  $Mn_2Sb_{0.95}Ge_{0.05}$ ", AIP Conf. Proc. **1763** (2016) 0020006-(7).
52. X. F. Miao, Y. Mitsui, A. Iulian Dugulan, L. Caron, N. V. Thang, P. Manuel, **K. Koyama**, K. Takahashi, N. H. van Dijk, and E. Brück, "Kinetic-arrest-induced phase coexistence and metastability in  $(Mn,Fe)_2(P,Si)$ ", Phys. Rev. B **94**, (2016) 094426.
53. Y. Mitsui, K. Koyama, M. Ohtsuka, R.Y. Umetsu, R. Kainuma, K. Watanabe, "High field X-ray diffraction study for  $Ni_{46.4}Mn_{38.8}In_{12.8}Co_{2.0}$  metamagnetic shape memory film", Metals **7** (2018) 364-(9).
54. Y. Mitsui, Y. Matsumoto, Y. Uwatoko, M. Hiroi, K. Koyama, "Magnetic relaxation dynamics in thermally arrested Cr-modified  $Mn_2Sb$ ", J. Magn. Mater. **461** (2018) 62-68.

#### ***F. Magnetoscience and experimental technique under high magnetic field*** (6)

1. T. Takahashi, C. Umeki, I. Mogi, S. Awaji, **K. Koyama**, M. Motokawa and K. Watanabe, "Orientation effect in melting of paraffin under the magnetic levitation condition", J. Magn. Soc. Jpn **27** (2003) 1125-1129 (in Japanese).
2. K. Takahashi, C. Umeki, I. Mogi, **K. Koyama**, S. Awaji, M. Motokawa, and K. Watababe, "Magnetic orientation of paraffin in a magnetic levitation furnace", Physica B **346-347**, (2004) 277-281.
3. K. Watanabe, S. Awaji, G. Nishijima, K. Takahashi, **K. Koyama**, M. Motokawa, and N. Kobayashi, "Magnet technology and materials research at the High-Field Laboratory for Superconducting Materials", Physica B **346-347**, (2004) 618-622.
4. T. Hasebe, S. Okada, M. Ishizuka, T. Tsurudone, T. Ito, H. Ookubo, J. Sakuraba, K. Watanabe, S. Awaji, **K. Koyama**, G. Nishijima, and K. Takahashi, "Design of a cryocooler-cryocooled large

- bore superconducting magnet for a 30T hybrid magnet*", IEEE Trans. Appl. Superc. **14** (2004) 368-371.
5. K. Watanabe, G. Nishijima, S. Awaji, K. Takahashi, **K. Koyama**, M. Motokawa, M. Ishizuka, T. Hasebe, and J. Sakuraba, "*Advances in the first cryogen-free hybrid magnet*", IEEE Trans. Appl. Superc. **14** (2004) 388-392.
  6. T. Kurusu, M. Ono, S. Hanai, M. Kyoto, H. Takigami, H. Takano, K. Watanabe, S. Awaji, **K. Koyama**, G. Nishijima, K. Togano, "*A cryocooler-cooled 19 T superconducting magnet with 52 mm room temperature bore*", IEEE Trans. Appl. Superc. **14** (2004) 393-396.
  7. K. Watanabe, G. Nishijima, S. Awaji, K. Takahashi, **K. Koyama**, N. Kobayashi, M. Ishizuka, T. Itou, T. Tsurudome and J. Sakuraba, "*Performance of a cryogen-free 30 T-class hybrid magnet*", IEEE trans. Appl. Superc., **16** (2006) 934-939.
  8. K. Takahashi, S. Awaji, Y. Sasaki, **K. Koyama** and K. Watanabe, "*Design of an 8 MW water-cooled magnet for a 35 T hybrid magnet at the HFLSM*", IEEE Trans. Appl. Supercond. **16** (2006) 977-980.
  9. K. Takahashi, S. Awaji, Y. Sasaki, **K. Koyama** and K. Watanabe, "*Development into a Cryocooled 34 T-8 MW hybrid magnet and application to the magneto-science*", TEION KOGAKU (J. Cryo. Soc. Jpn) **41** (2006) 316-321 (in Japanese).
  10. T. Ito, M. Ishizuka, T. Tsurudome, H. Ookubo, J. Sakuraba, S. Awaji, G. Nishijima, **K. Koyama**, K. Takahashi and K. Watanabe, "*Development of a 10 T cryocooled superconducting magnet with a room temperature bore of 360 mm for a 29 T hybrid magnet*", Adv. Cryo. Eng. **51**, (2006) 1743-1748.
  11. **K. Koyama**, S. Miura, H. Okada, and K. Watanabe, "*Development of an extraction type magnetometer under high pressure and high magnetic fields over 200 kOe in the hybrid magnet*", J. Phys.: Conf. Ser. **51** (2006) 569-572.
  12. K. Watanabe, G. Nishijima, S. Awaji, **K. Koyama**, K. Takahashi, N. Kobayashi and T. Kiyoshi, "*Cryocooled superconducting magnets for high magnetic fields at the HFLSM and future collaboration with the TML*", J. Phys.: Conf. Ser. **51** (2006) 631-634.
  13. K. Takahashi, **K. Koyama**, and K. Watanabe, "*100 mm wide bore cryocooled hybrid magnet for a high field X-ray diffractometer*", IEEE Trans. Apply. Superconductivity **18** (2008) 536-539.
  14. Y. Mitsui, **K. Koyama**, Y. Nakamori, S. Orimo and K. Watanabe, "*Magnetic and structural phase transition in ferromagnetic MnBi*", J. Japan Inst. Metals **73** (2009) 40-45 (in Japanese).
  15. Y. Mitsui, **K. Koyama**, and K. Watanabe, "*Performance of furnace for high-field X-ray diffraction measurements at high temperature*", J. Magn. Soc. Jpn. **33**. (2009) 60-63 (in Japanese).
  16. **K. Koyama**, Y. Mitsui, K. Tahashi and K. Watanabe, "*X-ray powder diffraction camera for high-field experiments*", J. Phys.: Conf. Ser. **156** (2009) 012018(1)-(5).

17. **K. Koyama**, R. Sakakura and K. Watanabe, “*Development of an extraction type magnetometer under low temperature and high magnetic fields over 20 T by the hybrid magnet*”, J. Phys.: Conf. Ser. **156** (2009) 012019(1)-(6).
18. Y. Mitsui, **K. Koyama** and K. Watanabe, “*X-ray diffraction measurements in high magnetic field and at high temperatures*”, Sci. Technol. Adv. Mater. **10** (2009) 014612(1)-(5)
19. K. Watanabe, S. Awaji, **K. Koyama**, G. Nishijima, K. Takahashi K, and Y. Sasaki, “*Tohoku High Magnetic Field Research Activities Using Cryogen-Free Superconducting Magnets*”, J. Low Temp. Phys. **159** (2010) 370-373.
20. **K. Koyama**, Y. Mitsui, E.S. Choi, Y. Ikehara, E.C. Palm, K. Watanabe, “*Change of the equilibrium state of ferromagnetic MnBi by high magnetic fields*”, J. Alloys Comp. **509** (2011) L78-L80.
21. K. Oikawa, Y. Mitsui, **K. Koyama**, K. Anzai, “*Thermodynamic Assessment of the Bi-Mn System*”, Mater. Trans. **52** (2011) 2032-2039.
22. Y. Mitsui, **K. Koyama**, K. Takahashi and K. Watanab, “*Development of an x-ray diffraction camera used in magnetic fields up to 10 T*”, Rev. Sci. Instrum. **82** (2011) 125104(1)-(6)
23. R. Onodera, S. Kimura, K. Watanabe, S. Lee, Y. Yokoyama, A. Makino and **K. Koyama**, “*Magnetic Field Effects on Crystallization of Iron-Based Amorphous Alloys*”, Mater. Trans. **54** (2013) 188-191.
24. Y. Mitsui, **K. Koyama** and K. Watanabe, “*Bi-Mn Binary Phase Diagram in High Magnetic Fields*”, Mater. Trans. **54** (2013) 242-245.
25. Y. Mitsui, K. Oikawa, **K. Koyama** and K. Watanabe, “*Thermodynamic assessment for the Bi–Mn binary phase diagram in high magnetic fields*”, J. Alloys Comp. **577** (2013) 315-319.
26. Y. Mitsui, Y. Ikehara, K. Watanabe, E.S. Choi, E.C. Palm and **K. Koyama**, “*Thermal analysis on MnBi in high magnetic fields up to 45 T*”, J. Korean Phys. Soc. **62** (2013) 1769-1772.
27. K. Watanabe, Y. Mitsui, **K. Koyama**, “*Heat-treatment processing for MnBi in high magnetic fields*”, Adv. Sci.&Techn. **78** (2013) 19-24.
28. R. Onodera, S. Kimura, K. Watanabe, Y. Yokoyama, A. Makino and **K. Koyama**, “*Isothermal crystallization of iron-based amorphous alloys in a high magnetic fields*”, Mater. Trans. **54** (2013) 1232-1235.
29. Y. Mitsui, **K. Koyama**, S. Awaji, K. Watanabe, “*Thermal analysis in high magnetic field –Magnetic field effect on phase equilibrium*”, Teion Kogaku (J. Cryo. Super. Soc. Jpn.) **49** (2014) 11-18. (in Japanese)
30. R. Onodera, S. Kimura, K. Watanabe, Y. Yokoyama, A. Makino, **K. Koyama**, “*Crystallization kinetics of high iron concentration amorphous alloys under high magnetic fields*”, J. Alloys Comp. **604** (2014) 8-11.

31. Y. Mitsui, R.Y. Umetsu, **K. Koyama**, K. Watanabe, “*Magnetic-field-induced enhancement for synthesizing ferromagnetic MnBi phase by solid-state reaction sintering*”, J. Alloys. Comp. **615** (2014) 131-134.
32. Y Mitsui, Y. Ikehara, K. Takahashi, K. Watanabe, **K. Koyama**, “*Magnetic field effect on  $\alpha \rightarrow \gamma$  transformation of Fe-C alloys by differential thermal analysis under high magnetic fields*”, Netsu Sokutei **41** (2014) 43-48.
33. Y. Mitsui, **K. Koyama**, K. Oikawa, K. Watanabe, “*Magnetic field effect on the liquid boundary of Bi-Mn binary system*”, AIP Conference Proceedings 1618 (2014) 269-272.
34. Y. Mitsui, Y. Ikehara, K. Takahashi, S. Kimura, G. Miyamoto, F. Furuhashi, K. Watanabe, **K. Koyama**, “*Fe-Fe<sub>3</sub>C binary phase diagram in high magnetic fields*”, J. Alloys Comp., **632** (2015) 251-255.
35. R. Onodera, S. Kimura, K. Watanabe, Y. Yokoyama, A. Makino, **K. Koyama**, “*Nucleation control for fine nano crystallization of Fe-based amorphous alloy by high-magnetic-field annealing*”, J. Alloys Comp. **637** (2015) 213-218.
36. D. Miyazaki, Y. Mitsui, K. Abematsu, K. Takahashi, K. Watanabe, S. Uda, **K. Koyama**, “*In-situ observation and differential thermal analysis of MnBi in high magnetic fields*”, Physics Procedia **75** (2015) 1324-1331.
37. Y. Mitsui, K. Abematsu, R.Y. Umetsu, K. Takahashi, **K. Koyama**, “*Magnetic field effects on liquid-phase reactive sintering of MnBi*”, J. Magn. Mater. **400** (2016) 304-306
38. R. Onodera, K. Ohtake, K. Takahashi, S. Kimura, K. Watanabe, **K. Koyama**, “*Observation of a Metamagnetic Transition of FeRh Alloy under High Magnetic Fields and High Temperatures*”, J. Japan Inst. Met. Mater. **80** (2016) 186-191. (in Japanese)
39. K. Abematsu, Y. Mitsui, A. Taira, D. Miyazaki, A. Takaki, R.Y. Umetsu, K. Takahashi, **K. Koyama**, “*Magnetic Field Effects on Reactive Sintering of MnBi*”, AIP Conf. Proc. **1763** (2016) 0020010-(6).
40. M. Yamashita, K. Abematsu, K. Takahashi, Y. Mitsui, **K. Koyama**, “*Development of a compact quenching furnace used under high magnetic fields*”, IEEE Magn. Lett. **8** (2017) 6501504-(4).
41. R. Kobayashi, Y. Mitsui, R.Y. Umetsu, K. Takahashi, M. Mizuguchi, **K. Koyama**, “*Annealing temperature and magnetic field effects for  $\varepsilon - \tau$  transformation in Mn-Al alloys*”, IEEE Magn. Lett. **8** (2017) 1400704-(4).
42. D. Miyazaki, Y. Mitsui, R. Y. Umetsu, K. Takahashi, S. Uda, K. Koyama, “*Enhancement of the Phase Formation Rate during In-Field Solid-Phase Reactive Sintering of Mn-Bi*”, Mater. Trans. **58** (2017) 720-723.
43. R. Kobayashi, Y. Mitsui, R.Y. Umetsu, K. Takahashi, M. Mizuguchi, K. Koyama, “*Magnetic-Field-Induced Acceleration of Phase Formation in  $\tau$ -Mn-Al*”, Mater. Trans. **58** (2017)

1511-1518.

44. Y. Mitsui, R.Y Umetsu, K. Takahashi, K. Koyama, “*Reactive sintering process of ferromagnetic MnBi under high magnetic fields*”, J. Magn. Magn. Mater. 453 (2018) 231-235.
45. Y. Mitsui, R. Kobayashi, Y. Takanaga, A. Takaki, R.Y Umetsu, K. Takahashi, M. Mizuguchi, K. Koyama, “*Different Magnetic Field Effects on the  $\epsilon$ - $\tau$  Phase Transformation Between (Mn, Zn)-Al and Mn-Al-C*”, IEEE Trans. on Magn. 55 (2019) 2100704-(4).
46. R. Kobayashi, Y. Mitsui, K. Takahashi, S. Uda, K. Koyama, “*In-field annealing and quenching for ferromagnetic MnBi under 19 T*”, IEEE Trans. on Magn. 55 (2019) 1000204-(4).
47. R. Kobayashi, Y. Mitsui, R.Y. Umetsu, K. Takahashi, M. Mizuguchi, K. Koyama, “*Magnetic-Field-Induced Enhancement of Phase Transformation in Ferromagnetic  $\tau$ -Mn-Al*”, J. Japan Inst. Met. Mater. 83 (2019) 181-185. (in Japanese)
48. M. Onoue, R. Kobayashi, Y. Mitsui, R. Y. Umetsu, Y. Uwatoko, K. Koyama, “*In-Field Heat Treatment Effect on Nitridation of  $Sm_2Fe_{17}$* ”, Mater. Trans. 60 (2019) 2179-2182.
49. Y. Watanabe, T. Hagio, R. Kobayashi, Y. Mitsui, K. Koyama, “*Phase Formation of a Solid-Liquid Mn-Ga Diffusion Couple under a Magnetic Field*”, Mater. Trans. 60 (2019) 2195-2198.
50. Y. Mitsui, Y. Takanaga, R. Kobayashi, K. Koyama, “*Effect of carbon addition on the phase stability of hcp-Mn-Al*”, Physica B 595 (2020) 412379.

### **G. Spinel compounds** (7)

1. H. Okada, **K. Koyama** and K. Watanabe, “*Two-step structural modulations and Fermi liquid state in spinel compound  $CuV_2S_4$* ”, J. Phys. Soc. Jpn. **73** (2004) 3227-3230.
2. H. Okada, **K. Koyama** and K. Watanabe, “*Transport, magnetic, thermal and structural properties of the spinel compound  $CuTi_2S_4$* ”, J. Alloys Comp. **403**, (2005) 34-37.
3. H. Okada, **K. Koyama**, and K. Watanabe, “*Specific heat measurement of the spinel compound  $CuV_2S_4$* ”, the AIP Conference Proceedings **850** (2006) 1317-1318.
4. H. Okada, **K. Koyama**, M. Hedo, Y. Uwatoko, and K. Watanabe, “*Pressure-induced metal-insulator transition in spinel compound  $CuV_2S_4$* ”, Physica B **403** (2008) 1612-1613.
5. H. Okada, **K. Koyama**, M. Nakatake, K. Shimada, H. Namatame, M. Taniguchi, and K. Watanabe, “*Photoemission spectroscopy of spinel-type  $CuV_2S_4$  single crystal*”, J. Phys. Soc. Jpn **77** (2008) 114711-(5).

### **H. Non-magnetic compounds** (8)

1. K. Wang, T. Fujita, M.W. Chen, T.G. Nieh, H. Okada, **K. Koyama**, W. Zhang and A. Inoue, “*Electrical conductivity of a bulk metallic glass composite*”, Appl. Phys. Lett. **91**, (2007)

154101(1)-(3).

2. T. Fujita, H. Okada, **K. Koyama**, K. Watanabe, S. Maekawa and M.W. Chen, “*Unusual Small Electrical Resistance of Three-Dimensional Nanoporous Gold in External Magnetic Fields*”, Phys. Rev. Lett. **101** (2008) 166601(1)-(4).
3. M. Fukuhara, H. Yoshida, **K. Koyama**, A. Inoue, and Y. Miura, “*Electronic transport behaviors of Ni-Nb-Zr-H glassy alloys*”, J. Appl. Phys. **107** (2010) 033703. OK
4. M. Fukuhara, H. Yoshida, **K. Koyama**, A. Inoue, Y. Miura, “*Superconductivity of Ni-Nb-Zr-H Glassy Alloys with Nanoclusters*”, J. Nanosci. Nanotech. **10** (2010) 4975-4978. OK
5. M. Fukuhara, H. Yoshida, **K. Koyama**, A. Inoue, “*Magnetic-field-induced Coulomb oscillation in Ni-Nb-Zr-H glassy alloys*”, Physica B **405** (2010) 3791-3794.
6. T.M. Pan, C.H. Chen, J.H. Liu, J.L. Her, **K. Koyama**, “*Electrical and reliability characteristics of high-kappa HoTiO<sub>3</sub> alpha-InGaZnO thin-film transistors*”, IEEE Electron. Device Lett. **35** (2014) 66-68.
7. S. Mondal, J.L. Her, **K. Koyama**, and T.M Pan, “*Resistive switching behavior in Lu<sub>2</sub>O<sub>3</sub> thin film for advanced flexible memory applications*”, Nanoscale Research Lett. **9**, (2014) 3-(8)
8. T.M. Pan, H.C. Chen, J.H. Liu, F.H. Chen, J.L. Her, **K. Koyama**, “*Comparison of High-kappa Gd<sub>2</sub>O<sub>3</sub> and GdTiO<sub>3</sub> alpha-InGaZnO Thin-Film Transistors*”, IEEE Trans. Electron Device. **61** (2014) 87-91.
9. T.M. Pan, F.H. Chen, M.N. Hung, J.L. Her, **K. Koyama**, “*Structural Properties and Electrical Characteristics of High-kappa Tm<sub>2</sub>O<sub>3</sub> Gate Dielectrics for InGaZnO Thin Film Transistors*”, Sci. Adv. Mater. **6** (2014) 1973-1978.
10. J.L. Her, T.M. Pan, J.H. Liu, H.J. Wang, C.H. Chen, **K. Koyama**, “*Electrical characteristics of GdTiO<sub>3</sub> gate dielectric for amorphous InGaZnO thin-film transistors*”, Thin Solid Films **569** (2014) 6-9.
11. T.M. Pan, C.H. Chen, J.L. Her, **K. Koyama**, “*Comparison of structural and electrical properties of Lu<sub>2</sub>O<sub>3</sub> and Lu<sub>2</sub>TiO<sub>5</sub> gate dielectrics for alpha-InGaZnO thin-film transistors*”, J. Appl. Phys. **116** (2014) 194510-(4).

#### ***I. Proceedings (no peer-reviewed)*** (9)

1. T. Sakon, Y. Nakanishi, M. Yoshida, **K. Koyama**, F. Takahashi, H. Nojiri, D. Li, T. Suzuki and M. Motokawa, “*dHvA effect and magnetic resonance of GdAs*”, Physics of strongly correlated electron systems, ed. T. Komatsubara, H. Fujii, Y. Onuki and H. Shiba (Japanese Journal of Applied Physics, Tokyo, 1999), p.135-137.
2. K. Umeo, T. Takabatake, T. Pietrus, H. B. Lohneysen, H. Ohmoto, **K. Koyama**, S. Hane and T.



- Goto, "Pressure-induced quantum phase transition in  $Ce_7Ni_3$ ", Physics of strongly correlated electron systems, ed. T. Komatsubara, H. Fujii, Y. Onuki and H. Shiba (Japanese Journal of Applied Physics, Tokyo, 1999), p.154-156.
3. T. Sakon, H. Nojiri, **K. Koyama**, T. Asano, Y. Ajiro and M. Motokawa, "ESR at ultra-low temperatures and observation of new mode in Cu-Benzoate", in proceedings for EPR in the 21st century (Kobe 2000) 807-812.
  4. H. Kato, M. Ishizone, T. Miyazaki, **K. Koyama**, H. Nojiri and M. Motokawa, "Fabrication and magnetic properties of nanophase dispersed  $Nd_2Fe_{14}B / \alpha\text{-Fe}$  and  $Sm_2Fe_{17}N_3 / \alpha\text{-Fe}$  films with crystallite orientation of hard phases", in proceedings for Sixteenth International Workshop on Rare-Earth Magnets (Sendai 2000) 547-549.
  5. **K. Koyama**, T. Sakon, H. Nojiri and M. Motokawa, "Observation of new ESR mode at ultra low temperatures and CR of RE compounds by VNA", in proceedings for 26th IRMMW (Toulouse 2001) 1-6.
  6. K. Kobayashi, T. Akiya, H. Kato and **K. Koyama**, "Relation between a specific lattice expansion and magnetic anisotropy in  $Sm_2Fe_{17}N_x$  ( $0 < x < 3$ ) samples of intermediate nitrogen concentration", in proceedings for 18th workshop on high performance magnets & their applications, (Annecy, 2004) p.521-528.
  7. E.A. Tereshina, A.V. Andreev, **K. Koyama**, K. Watanabe, "Magnetostriction at the Metamagnetic Phase Transition in  $(Lu_{0.8}Ce_{0.2})_2Fe_{17}$ ", WDS'08 Proceedings of Contributed papers, Part III, (2008) 101-106.
  8. **K. Koyama**, Y. Mitsui, E.S. Choi, Y. Ikehara, E. Palm, and K. Watanabe, "Controlled Equilibrium State of Ferromagnetic MnBi by High Magnetic Fields", Proceedings of the 22nd International Workshop on Rare-Earth Permanent Magnets and their Applications, (Nagasaki, 2012) p.110-113.

**J. Reports (no peer-reviewed) (10)**

1. 小山佳一, 藤井博信, "窒素侵入型希土類-鉄化合物単結晶の磁性", 広島大学低温センターだより (1996) 19-21.
2. 小山佳一, 藤井博信, "Sn-Fe-N 系磁性体", ニューセラミックス No.6 (1996) 17-22.
3. 小山佳一, "侵入型化合物  $R_2Fe_{17}Z_3$  ( $R =$  希土類元素,  $Z =$  水素または窒素原子)の磁性", 広島大学総合科学部紀要 IV 理系編 23 (1997) 191-1994 (学位 (博士) 論文要旨: 広島大学大学院生物圏科学研究科)
4. M. Hiroi, **K. Koyama**, M. Ito, I. Shigeta, "Helium-liquefier system", Rep. Fac. Sci., Kagoshima Univ. **44** (2011) p.154-156. (in Japanese)

5. H. Orihashi, D. Mitsunaga, M. Hiroi, Y. Mitsui, K. Takahashi, K. Watanabe, K. Matsubayashi, Y. Uwatoko and **K. Koyama**, “*Magnetic properties of  $Mn_{2-x}Co_xSb$  ( $x = 0.17, 0.2$ ) under high magnetic fields*”, Rep. Fac. Sci., Kagoshima Univ. **45** (2012) 43-49 (in Japanese).
6. H. Hoshina, T. Harakawa, T. Shiraishi, K. Takahashi and **K. Koyama**, “*Control of magnetization direction of Silicon steels by a heat treatment under high magnetic field*”, Keihin Technical Review **2** (2013) 16-20. (in Japanese)
7. **K. Koyama**, D. Shimada, H. Orihashi, D. Mitsunaga, M. Hiroi, K. Matsubayashi, Y. Uwatoko, R. Onodera, S. Kimura, and K. Takahashi, “*Magnetic properties of  $Mn_2Sb_{1-x}Z_x$  ( $Z = Ge, Sn$ )*”, Rep. Fac. Sci., Kagoshima Univ. **46** (2013) 37-42.
8. **K. Koyama**, T. Igarashi, K. Watanabe, “*Magnetic, thermoelectric and structural properties of  $HfV_2$  under high magnetic fields and high pressure*”, Rep. Fac. Sci. Kagoshima Univ. **47** (2014) 13-19. (in Japanese)
9. **K. Koyama**, D. Shimada, Y. Adachi, H. Orihashi, D. Mitsunaga, M. Hiroi, Y. Mitsui, S. Kimura, K. Matsubayashi, Y. Uwatoko, “*Magnetic and electrical properties of  $Mn_2Sb_{1-x}Z_x$  ( $Z = Ge, Sn$ ) under high pressures and high magnetic fields*”, Rep. Fac. Sci., Kagoshima Univ. **48** (2015) 15-21.
10. Y. Mitsui, Y. Yoshimine, R.Y. Umetsu, K. Matsubayashi, Y. Uwatoko, M. Hiroi, **K. Koyama**, “*Pressure Effect on the Martensitic Transformation and Magnetic Properties of  $Mn_{2-x}Ni_{1+x}Ga$* ”, Rep. Fac. Sci., Kagoshima Univ. **48** (2015) 35-39.
11. M. Onoue, K. Ozono, Y. Mitsui, M. Hiroi, R.Y. Umetsu, Y. Uwatoko, **K. Koyama**, “*Magnetic properties of  $MnCo_{1-x}Fe_xGe$  ( $x = 0.08, 0.12$ )*”, Rep. Pac. Sci. Kagoshima Univ. **49** (2016) 11-15.
12. A. Takaki, Y. Mitsui, D. Miyazaki, R.Y. Umetsu, K. Takahashi, **K. Koyama**, “*Magnetic field effects on the morphology of Bi-Mn alloy prepared by solid-phase reactive sintering*”, Rep. Pac. Sci. Kagoshima Univ. **49** (2016) 17-21.
13. K. Koyama, M. Yamashita, R. Kobayashi, Y. Mitsui, K. Takahashi, S. Uda, “*Development of a compact quenching furnace for use in high magnetic fields up to 15 T*”, Rep. Pac. Sci. Kagoshima Univ. **50** (2017) 1-5. (in Japanese)
14. K. Koyama, A. Taira, Y. Mitsui, K. Takahashi, “*Characteristics of MnBi Synthesized by Solid-State Reaction Sintering Method in High Magnetic Field*”, Rep. Pac. Sci. Kagoshima Univ. **50** (2017) 6-11. (in Japanese)
15. K. Koyama, D. Shimada, Y. Adachi, Y. Mitsui, M. Hiroi, Y. Uwatoko, “*Magnetic properties of  $Mn_2Sb_{1-x}Ge_x$  ( $x = 0.05, 0.08, 0.1$ ) under high pressures*”, Rep. Pac. Sci. Kagoshima Univ. **50** (2017) 12-18. (in Japanese)
16. M. Hamasaki, M. Yamaguchi, L. Chen, M. Obara, Y. Mitsui, K. Koyama, “*An educational tool for visualizing acoustic phenomena and measuring velocity, frequency and wavelength of sound*”

- waves”, Rep. Pac. Sci. Kagoshima Univ. 51 (2018) 1-8. (in Japanese)
17. M. Hamasaki, M. Yamaguchi, L. Chen, M. Obara, Y. Mitsui, K. Koyama, “*Development of a simple educational tool of calorimetry for high school students*”, Rep. Pac. Sci. Kagoshima Univ. 51 (2018) 9-13. (in Japanese).
  18. M. Hamasaki, M. Yamaguchi, L. Chen, M. Obara, Y. Mitsui, K. Koyama, “*Development of an educational tool: experiments on light diffraction and interference for high school physics students*”, Rep. Pac. Sci. Kagoshima Univ. 52 (2019) 7-14. (in Japanese).
- 19.

A: 81 papers, B: 18 papers, C: 26 papers, D: 62 papers, E: 54 papers, F: 50 papers,  
G: 5 papers, H: 11 papers, I: 8 papers, J: 18 papers, total: 333 papers in 2020/07/27.